



ActivHeal® HYDROGEL

ActivHeal® Hydrogel is specifically formulated with high water content, this hydrogel donates moisture to dry, necrotic and sloughy wounds

- ✓ Excellent fluid donation
- ✓ Aids autolytic debridement
- ✓ High water content (>80%)
- ✓ Amorphous
- ✓ High viscosity
- ✓ Removes devitalised tissue
- ✓ Promotes a moist wound environment



Indications for use:

ActivHeal® Hydrogel is used as a primary dressing indicated for use on dry and sloughy wounds with nil to low exudate including:

- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds
- ✓ Abrasions and Lacerations

Nil > Low Exudate



ActivHeal is a registered trademark of Advanced Medical Solutions Limited.

15g ADM10007419
 Tube \$5.80*
 10+ \$5.35*

Solugel

Wound Care Gel

Provides a soothing, moist healing environment for the effective treatment of minor burns, scalds and sunburn and relief of the pain and itchiness of chickenpox and shingles rash. Solugel is also excellent for the treatment of chronic ulcerative wounds, cuts and grazes.

50g JJ10340

Tube \$11.20*

12+ \$10.35*




THE
FIRST AID KIT
 IN A
TUBE

Solosite gel

Hydrogel Wound Dressing

- Preserved for multi-dose dispensing
- Effective debrider and deslougher
- Promotes moist wound healing
- Cost-effective

	20g	SN36100614	Tube	\$9.45*	3+	\$8.70*
	50g	SN36361354	Tube	\$11.00*	3+	\$10.15*




Smith+Nephew

Indications: The treatment of both shallow and deep wounds, particularly chronic lesions such as pressure injuries and leg ulcers which may be experiencing delayed healing due to the presence of necrotic and sloughy tissue. Also ideal for maintaining a moist wound healing environment in granulating wounds.

Intrasite gel

Premium Desloughing and Debriding Hydrogel

	8g	SN7308	Tube	\$12.70*	3+	\$11.70*
	15g	SN7311	Tube	\$14.50*	3+	\$13.40*
	25g	SN7313	Tube	\$20.50*	3+	\$18.90*



Smith+Nephew

INTRASITE Gel is an amorphous hydrogel which promotes rapid but gentle debridement of necrotic tissue, whilst being able to loosen and absorb slough and exudate.

It can also be used to provide the optimum moist wound healing environment during the later stages of wound healing.

HydroTac Transparent®

Transparent hydrogel sheet

HydroTac Transparent sheet dressing provides a moist wound healing environment in a waterproof dressing. The dressing supports healing and protects superficial burns, painful bites and stings by creating a soothing and cooling effect for greater patient tolerability.



- Soothes and cools painful wounds
- Up to 7 day wear time
- Transparent visualisation of the wound

Indications: minor burns, insect bites, painful wounds

HydroTac Transparent

HydroTac Transparent will require a retention tape or bandage. Best for fragile skin.

5 x 7.5cm	HTM685905	Box/10	\$88.10*	2+	\$78.85*
10 x 10cm	HTM685906	Box/10	\$80.55*	2+	\$72.10*



HydroTac®

Absorbent foam with hydrogel layer

HydroTac is a foam dressing with a unique hydrogel wound contact layer. It effectively absorbs moderate exudate while at the same time providing the optimal environment for wound healing. HydroTac is gentle on the skin and can remain in place for up to 7 days.

- Accelerates wound healing
- Hydro-responsive dressing
- Optimal Absorption

HydroTac Foam

HydroTac will require a retention tape or bandage. Best for fragile skin.

6cm round	HTM685849	Box/10	\$71.70*	2+	\$67.35*
10 x 10cm	HTM685832	Box/10	\$128.60*	2+	\$120.85*
10 x 20cm	HTM685841	Box/10	\$196.45*	2+	\$184.55*



HydroTac Comfort

HydroTac Comfort features its own adhesive film border.

6.5 x 10cm	HTM685811	Box/10	\$63.85*	2+	\$60.00*
8 x 8cm	HTM685810	Box/10	\$70.90*	2+	\$67.85*
12.5 x 12.5cm	HTM685815	Box/10	\$128.60*	2+	\$120.85*

HydroClean plus®

Wound Debridement Dressing

HydroClean plus® is a unique Hydro-responsive wound dressing that has been developed to provide a cleanse, debride, de-slough and absorb function to facilitate optimal wound bed preparation. HydroClean plus is suitable for wet/moist treatment of wounds, in particular of wounds with impaired healing. HydroClean plus® contains Ringer's solution to continuously rinse & cleanse the wound bed and super absorbent polymers to absorb the exudate and wound debris.

- Unique rinsing absorption mechanism
- Up to 3 day wear time
- Excellent cleansing/debriding effect

HydroClean plus

HydroClean plus will require a secondary dressing and retention tape or bandage.

4cm Round	HTM609602	Box/10	\$102.85
5.5cm Round	HTM609606	Box/10	\$179.75
7.5 x 7.5cm	HTM609293	Box/10	\$236.05
10 x 10cm	HTM609612	Box/10	\$408.45

HydroClean plus Cavity

HydroClean plus Cavity will require a secondary dressing and retention tape or bandage.

4cm Round	HTM609622	Box/10	\$115.65
7.5 x 7.5cm	HTM609628	Box/10	\$258.50



Watch application guide here




Cutimed® Debriclean

Fast and effective wound debridement

Thorough wound cleansing is the foundation for successful wound healing. Cutimed Debriclean efficiently sets the stage for the wound healing process with its unique and innovative design. Thanks to its combination of gentle looped monofilament fibers and abrasive fibers, bacteria is absorbed and firm slough removed, making Cutimed Debriclean suitable for any wound cleansing challenge.

9 x 13cm BSN7617000
 Box/5 \$112.50
 2+ \$108.55



Visit our website to watch the product video

Choose Cutimed® Debriclean for fast and effective wound cleansing

Debrisoft® Monofilament fibre Pad and Lolly

Wound bed preparation – fast, easy, virtually painless.

Debrisoft is intended for rapid and effective debridement of wounds. Debrisoft removes bacteria, dead tissue and exudate during debridement.

Debrisoft is an easy, effective and virtually painless method of debridement that produces rapidly visible results which speak for themselves.

Before debridement



After debridement with Debrisoft



Wound bed preparation is an integral part of every dressing change. Selecting the correct cleansing method is therefore critical for patient acceptance and the success of the treatment.

With Debrisoft you protect newly formed granulation tissue and new epithelial cell growth.

Debrisoft Pad

For shallow wounds and accessible areas of the skin

10 x 10cm LOH33223

Box/5 \$119.35
 2+ \$116.20



Debrisoft Lolly

For hard-to-reach areas e.g. cavity wounds, between digits and skin folds

160mm x 19mm LOH33224
 (lolly head = 50mm x 19mm)

Box/5 \$117.65
 2+ \$113.75



Debrisoft enables quick¹ wound bed preparation

Debrisoft is easy¹ to use with all common wound rinsing solutions

Patients perceived low pain during debridement

References

1 Haemmerle, G., Duelli, H., Abel, M., Strohal, R. (2011), "The wound debrider: a new monofilament fibre technology", British Journal of Nursing, TV Supplement Vol.20(6) March

Control and prevent infection in Acute and Chronic wounds with one solution. Cleanse, Debride, Irrigate and Moisten with Microdacyn®

Wounds Not Healing?

Have you considered adding Microdacyn® to your Wound Care Tool Kit? Microdacyn® is clinically proven to heal wounds faster.¹

With this breakthrough technology now you can control and prevent infection with one solution.

Cleanse, debride and protect wounds with Microdacyn®.

Microdacyn® is a pH Neutral - Super-Oxidised Solution for first-line treatment of Acute and Chronic wounds including burns.

- Broad-spectrum antimicrobial
- Ready-to-use, pH neutral solution
- Rapidly penetrates biofilm killing formations from within
- Does not promote bacterial resistance²
- Non-cytotoxic, preventing harm to delicate cells
- Compatible with most dressings including Ag dressings
- Revolutionary alternative to PHMB, Povidine Iodine and Sodium Chloride Solutions



Microdacyn

60g Hydrogel	TFMDHG60	\$20.25
120ml Spray	TFMDW120	\$19.80
250ml Spray	TFMDWC250	\$27.40
500ml Bottle	TFMDWC500	\$35.65
990ml Bottle	TFMIWT990	\$69.80

> 99.99%

Microdacyn® is proven >99.99% effective against Bacteria (incl MRSA), Fungi, Viruses, Spores and Uniquely Penetrates Biofilm.^{2,5}

Usage and Compatibility

Microdacyn® can be used on:

- Skin
- Mucosa
- Ligament, joints, bones & tendons
- Cartilage & peritoneal cavity
- Sensitive areas such as the face
- Children

Microdacyn® is compatible with:

- All wound dressings including silver(Ag)
- Leaving soaked gauze in the wound
- Wound irrigation
- Under occlusion
- Insertion sites/catheters



Visit our website to learn more about this innovative Wound Care Product.



What do you currently use to cleanse, irrigate and debride wounds?


Microdacyn® has been proven to:

- Heal wounds faster than those treated with Povidine-Iodine solutions³
- Have better control of bacterial load in chronic wounds than PHMB and Saline solutions⁴
- Rapidly penetrates biofilms killing microbes from within⁵


References: 1. Kramer 2018 Journal of Skin Physiology & Pharmacology Consensus on Wound Antisepsis 2018, 2. Swanson et al (IWII 2016), 3. Landa-Solis et al 2005, 4. Piaggese et al - International Journal of Lower Extremity Wounds 2010, 5. Assadin et al - Journal of Wound Care 2018.

Prontosan

Only a clean wound can heal. Experience the Prontosan® Effect.



Traditional irrigation solutions superficially wet wound



Irrigation/Soak with Prontosan® penetrates and cleanses prior to wound dressing



Drop Comparison (surface tension)

Contains two main working ingredients:

Betaine (Surfactant):
A gentle wound surfactant that penetrates and cleanses contaminants from the wound.

Polyhexanide (PHMB):
A preservative, also known for its antimicrobial properties to reduce bacteria.

The Role of Wound Cleansing in Wound Bed Preparation

One of the most important principles of proper wound bed preparation is certainly wound cleansing, as only a clean wound can heal rapidly and without complications.

Avital tissue such as necrosis and fibrin coating, detritus and a high bacterial load can considerably affect wound healing, resulting in stagnation of the wound healing process.

It must be remembered that the treatment of a chronic wound can take several months, and therefore highly effective, gentle and patient-friendly wound cleansing is of great significance. Particular attention should therefore be given to the choice of wound cleansing agent.

Prontosan® especially designed for:

- Chronic wounds
- Post-radiation wounds
- Acute wounds
- 1st & 2nd degree burns
- Fistulas & Abscesses
- Use with negative pressure therapy
- EB Wounds

Important Criteria for a Suitable Wound Cleansing Agent

- Efficient removal of the "bacterial burden" or biofilm
- Broad "therapeutic range"
- Maintain optimal wound moisture
- Product can be warmed
- Practical application
- Increase in quality of life (elimination of wound pain and odour)
- Rapid and gentle elimination of the "bioburden" (avital tissue)
- Compatible with common wound dressings

Prontosan Wound Irrigation Solution

40ml Ampoule	BN400412	Box/30	\$149.80*
350ml Bottle	BN400403	Each	\$27.00*

Lasts up to 8 weeks once opened.
(Excluding single use 40ml solution)



Prontosan Wound Gel

After Prontosan® soak and rinse (see above), you can apply Prontosan® Wound Gel to the wound for further debridement and prolonged cleansing for up to 3 days.

The gel for acute, chronic and burn wounds.

- Reduces healing time
- Removes and prevents biofilm
- Prevents infections
- Facilitates painless dressing changes
- Is compatible with commonly used wound dressings

30ml Bottle	BN400510	Each	\$28.75*
-------------	----------	------	----------





ActivHeal® ALGINATE

ActivHeal® Alginates is a sodium calcium alginate dressing indicated for the treatment of moderate to heavily exuding wounds as a primary dressing.



- ✓ Excellent absorption of exudate
- ✓ Natural alginate fibre
- ✓ Versatile
- ✓ Haemostatic properties - controls minor bleeding
- ✓ Reduces the risk of maceration
- ✓ Aids autolytic debridement
- ✓ Encourages granulation within the wound
- ✓ Promotes healing through a moist wound environment



Indications for use:

ActivHeal® Alginates is indicated for moderately to heavily exuding wounds that are granulating or with areas of slough¹ including:

- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Abrasions and Lacerations
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Cavity Wounds
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds

Moderate > Heavy Exudate



5 x 5cm	ADM10007432	Box/10	\$33.00*	3+	\$30.45*
10 x 10cm	ADM10007431	Box/10	\$53.40*	3+	\$49.25*
10 x 20cm	ADM10007430	Box/5	\$58.65*	3+	\$54.10*
2 x 30cm Rope	ADM10007428	Box/5	\$43.05*	3+	\$39.70*

HIGHLY ABSORBENT

CONTROLS MINOR BLEEDING

REDUCES RISK OF MACERATION

LOW LATERAL WICKING

Reference: 1. Lansdown AB, Payne MJ. (1994) An evaluation of the local reaction and biodegradation of calcium sodium alginate (Kaltostat) following subcutaneous implantation in the rat. J R Coll Surg Edinb. Oct; 39 (5) : 284-8
 ActivHeal is a registered Trademark of Advanced Medical Solutions Limited.

Algisite M Calcium Alginate Dressing

Smith+Nephew

Algisite M is a calcium-alginate dressing which forms a soft, integral gel when it comes into contact with wound exudate. Excess wound exudate is absorbed in this process. Algisite M utilises the proven benefits of moist wound healing, which results in faster healing of even difficult wounds.



	2 x 30cm	SN66000522	Box/5	\$77.30*	3+	\$71.35*
	5 x 5cm	SN66000519	Box/10	\$61.15*	3+	\$56.45*
	10 x 10cm	SN66000520	Box/10	\$125.45*	3+	\$115.75*

Kaltostat Alginate Calcium Sodium Dressing

ConvaTec



KALTOSTAT® Alginate Calcium Sodium Dressing is an alginate dressing indicated as a primary dressing for moderately to highly exuding chronic and acute wounds, and for wounds with minor bleeding. On contact with exudates the dressing gradually forms a firm, moist gel which is highly absorbent.

5 x 5cm	CON168210	Box/10	\$55.60*	2+	\$50.50*
7.5 x 12cm	CON168212	Box/10	\$109.80*	2+	\$98.30*
10 x 20cm	CON168214	Box/10	\$213.10*	2+	\$199.60*
2g rope	CON1681F1	Box/5	\$70.60*	2+	\$63.20*

KALTOSTAT®

Durafiber

Highly absorbent non woven, gelling fibre dressing

DURAFIBER is a highly absorbent, non woven gelling fibre filler dressing. Composed of a unique blend of cellulose based fibres, DURAFIBER provides a versatile solution for the management of medium to heavily exuding chronic and acute full thickness, partial thickness or shallow granulating wounds.

- Forms a soft cohesive gel sheet on contact with wound fluid
- Locks in fluid and bacteria
- Controlled lateral wicking
- Lasting integrity and gelled strength
- Highly absorbent
- Minimal dressing shrinkage

Indications: As an absorbent dressing, gelling dressing for the management of chronic and acute, full thickness, partial thickness, or shallow granulating exuding wounds

4 x 10cm	SN66800546	Box/5	\$36.40*
4 x 20cm	SN66800547	Box/5	\$64.05*
5 x 5cm	SN66800559	Box/10	\$56.25*
10 x 10cm	SN66800560	Box/10	\$149.90*
15 x 15cm	SN66800561	Box/5	\$158.10*
2 x 45cm	SN66800563	Box/5	\$86.15*



Smith+Nephew

Durafiber AG

Absorbent gelling fibre dressing, with silver

All the benefits of DURAFIBER with the added benefit of ionic silver. DURAFIBER AG dressings provide antimicrobial activity against a broad spectrum of common wound pathogens which may help to reduce bacterial bioburden and the risk of infection.

5 x 5cm	SN66800578	Box/10	\$154.10*	2+	\$141.40*
10 x 10cm	SN66800579	Box/10	\$267.30*	2+	\$242.35*



Indications: As an absorbent dressing, gelling dressing for the management of chronic and acute, full thickness, partial thickness, or shallow granulating exuding wounds

Smith+Nephew

Aquacel Extra

Hydrofiber Dressing with Strengthening Fibres

The unique gelling action of Hydrofiber® fibres convert to a soft gel when in contact with wound exudate. It absorbs and locks in the exudate, preventing spreading.

Aquacel Extra provides added strength and absorption compared to AQUACEL, for when greater efficiencies are desired.

5 x 5cm	CON420671	Box/10	\$56.10*	2+	\$51.25*
10 x 10cm	CON420672	Box/10	\$132.30*	2+	\$116.80*

Also available Aquacel Rope

2cm x 45cm	CON403770	Box/5	\$84.90*	2+	\$74.95*
------------	-----------	-------	----------	----	----------



ConvaTec

Aquacel Ag

Hydrofiber Dressing with Silver

Aquacel Ag dressing with ionic silver provides rapid, effective, sustained antimicrobial activity. A versatile dressing for moderately-to highly-exuding chronic and acute wounds that are infected or at risk of infection

5 x 5cm	CON403706	Box/10	\$168.45*	2+	\$148.70*
10 x 10cm	CON403708	Box/10	\$358.05*	2+	\$316.10*
15 x 15cm	CON403710	Box/5	\$405.00*	2+	\$378.00*
2 x 45cm rope	CON403771	Box/5	\$301.40*	2+	\$266.05*



ConvaTec



ActivHeal® AQUAFIBER™

ActivHeal® AquaFiber is a soft, conformable, highly absorbent dressing that converts to a soft clear gel when in contact with wound exudate.

- ✓ High absorption of exudate
- ✓ Excellent wet and dry strength
- ✓ Hidden integrity layer
- ✓ Easy to use
- ✓ Reduced lateral wicking
- ✓ Clear gelling
- ✓ Natural alginate fiber
- ✓ Promotes healing through a moist wound environment



Indications for use:

ActivHeal® AquaFiber is indicated for moderately to heavily exuding chronic and acute wounds and can act as a haemostat to control minor bleeding in superficial wounds¹:

- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Abrasions and Lacerations
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Cavity Wounds
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds

Moderate > Heavy Exudate



HIGHLY ABSORBENT	HIGH WET STRENGTH	LOW RISK OF MACERATION	LOW LATERAL WICKING

5 x 5cm	ADM10009145	Box/10	\$31.15*	2+	\$28.75*
10 x 10cm	ADM10009146	Box/10	\$72.70*	2+	\$67.05*
15 x 15cm	ADM10009147	Box/5	\$81.85*	2+	\$74.15*
2 x 42cm Rope	ADM10009148	Box/5	\$43.65*	2+	\$39.55*

Reference: 1. Lansdown, A. (2006) Bioactive Dressings: old ideas, new technology. British Journal of Nursing. Tissue Viability supplement, Vol 16, no13



ActivHeal® AQUAFIBER™ EXTRA

ActivHeal® AquaFiber Extra creates a moist wound healing environment for moderate to heavily exuding wounds.

- ✓ Highly absorbent¹
- ✓ High wet tensile strength¹
- ✓ Increased vertical wicking¹
- ✓ High gelling
- ✓ Can remain in situ for up to 7 days
- ✓ Low risk of maceration
- ✓ Aids autolytic debridement
- ✓ Maintains a moist wound environment



Indications for use:

ActivHeal® AquaFiber Extra is indicated for the management of the following moderately to heavily exuding acute and chronic wounds:

- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Abrasions and Lacerations
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Cavity Wounds
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds

Moderate > Heavy Exudate



HIGHLY ABSORBENT	HIGH WET STRENGTH	LOW RISK OF MACERATION	INCREASED VERTICAL WICKING

5 x 5cm	ADM9023625	Box/10	\$45.25*	2+	\$41.75*
10 x 10cm	ADM9023632	Box/10	\$83.45*	2+	\$76.95*
15 x 15cm	ADM9023649	Box/5	\$87.30*	2+	\$79.10*
20 x 30cm	ADM9023656	Box/5	\$165.80*	2+	\$150.25*
2.5 x 30.5cm Rope	ADM9023663	Box/5	\$49.10*	2+	\$44.50*
2 x 46cm Rope	ADM9023670	Box/5	\$49.10*	2+	\$44.50*

Reference: 1. Advanced Medical Solutions Data on file LD024-16, LD037-16. ActivHeal and AquaFiber are registered Trademarks of Advanced Medical Solutions Limited.

DuoDERM CGF

DuoDERM® CGF™ Dressing is a hydrocolloid, moisture-retentive wound dressing used for partial and full-thickness wounds with exudate. It incorporates a unique ConvaTec hydrocolloid formulation that distinguishes it from other hydrocolloid dressings.

Indicated for:

Chronic wounds - pressure ulcers (Stage I-IV), leg ulcers.

Acute wounds - traumatic wounds (minor abrasions, lacerations) partial thickness burns and donor sites

10 x 10cm	CONH7660	Box/5	\$48.65*	2+	\$43.55*
15 x 15cm	CONH7661	Box/5	\$101.15*	2+	\$93.10*



DuoDERM Extra Thin

A hydrocolloid dressing indicated for the management of lightly exuding wounds. It combines a unique ConvaTec hydrocolloid formulation that distinguishes it from other hydrocolloid dressings and a vapour-permeable outer film to provide an occlusive moist environment.

5 x 10cm	CONH7900	Box/20	\$108.25*	2+	\$93.55*
7.5 x 7.5cm	CONH7901	Box/20	\$125.50*	2+	\$110.75*
10 x 10cm	CONH7955	Box/10	\$95.20*	2+	\$85.20*
15 x 15cm	CONH7957	Box/10	\$108.50*	2+	\$99.80*
Spots 40mm	CONH7932	Box/20	\$78.00*	2+	\$70.60*



DuoDERM Signal® Dressing

DuoDERM Signal Dressing is an adhesive, tapered edge, modern hydrocolloid wound dressing with a change indicator.

For moderately exuding partial or full thickness wounds. The indicator helps to determine when to change the dressing which is designed to reduce premature dressing changes that can disturb healing and cause discomfort.

10 x 10cm	CON403326	Box/5	\$39.45*	2+	\$35.70*
-----------	-----------	-------	----------	----	----------



Replicare Ultra

Hydrocolloid Wound Dressing

- Superior Fluid Handling
- Good absorbency and high permeability, making it ideal for light to moderately exuding wounds.

10 x 10cm	SN66000434	Box/10	\$107.70	3+	\$98.55*
-----------	------------	--------	----------	----	----------



Smith+Nephew



Comfeel Plus Transparent

Comfeel Plus Transparent is a thin and flexible hydrocolloid dressing

It can be used for treatment of no-to-low exuding chronic wounds and superficial acute wounds in the final stages of wound healing. Comfeel Plus Transparent may be used for superficial burns, superficial partial-thickness burns, donor sites, post-operative wounds and skin abrasions. The dressing can stay on the wound for up to 7 days depending on the specific wound characteristics.

Comfeel Plus Transparent hydrocolloid dressing is the thin and flexible solution for sealing and healing no-to-low exuding wounds.

5 x 7cm	COL3530	Box/10	\$71.55*
5 x 25cm	COL3548	Box/5	\$73.25*
10 x 10cm	COL3533	Box/10	\$129.75*
9 x 14cm	COL3536	Box/10	\$157.95*






ActivHeal® HYDROCOLLOID

ActivHeal® Hydrocolloid is an ideal dressing for the treatment of light to moderately exuding wounds.

- ✓ Aids autolytic debridement
- ✓ Superior fluid handling
- ✓ Conformable
- ✓ Provides a bacterial barrier¹
- ✓ Waterproof barrier
- ✓ Available in film and foam backed for extra comfort
- ✓ Promotes healing through a moist wound environment



Indications for use:

ActivHeal® Hydrocolloid is indicated for use on acute or chronic wounds with a light to moderate level of exudate

- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Abrasions and Lacerations
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds

Light > Moderate Exudate



ActivHeal® Hydrocolloid Film Backed

5 x 7.5cm	ADM10008631	Box/10	\$44.50*	3+	\$41.05*
10 x 10cm	ADM10008528	Box/10	\$57.85*	3+	\$53.35*
15 x 15cm	ADM10008529	Box/5	\$61.35*	3+	\$56.55*
Sacral	ADM10008530	Box/5	\$69.10*	3+	\$62.60*

ActivHeal® Hydrocolloid Foam Backed

5 x 7.5cm	ADM10009002	Box/10	\$46.00*	3+	\$42.45*
10 x 10cm	ADM10009003	Box/10	\$69.75*	3+	\$64.30*
15 x 15cm	ADM10009004	Box/5	\$60.00*	3+	\$54.35*
Sacral	ADM10009005	Box/5	\$89.00*	3+	\$82.10*

Reference: 1 Advanced Medical Solutions - Data on file. ActivHeal is a registered Trademark of Advanced Medical Solutions Limited.



MEET OUR TEAM: CAITLIN

Caitlin is the core engine of our marketing team. Working with our key suppliers and creating great promotions. Making sure our customers are in the loop with the latest products, special offers and business updates.

A big fan of Rugby League, Caitlin's favourite teams are the Sydney Roosters, NSW and the Wynnnum-Manly Seagulls. Caitlin loves to unwind by reading a good book or spending time out-and-about with friends and family.

What was the last concert/live event you went to?


Luckily, I've been to quite a few this year - Frozen the Musical with my niece, Moulin Rouge the Musical, Lime Cordiale and the Wiggles for Adults Concerts, and NRL Magic Round with a few work mates.

What is your favourite food?

Does coffee count? Actual food - sashimi and ice cream.



MARKETING - QLD



SIMPLIFYING THE COMPLEXITIES OF WOUND CARE.



High Quality



Transparent Pricing



Made in the UK



Simplified Packaging




Education Platform



Simplified Packaging

- ✓ Colour coded packaging
- ✓ Clear descriptions and QR Codes
- ✓ Updated IFU & dressing icons
- ✓ Getting it right first time

Team Medical Supplies and BP Medical are pleased to be the dedicated Australian supplier of ActivHeal® — a high-quality yet affordable wound care range. Discover how ActivHeal® can offer your practice a simple, clear and cost-effective wound care range, ensuring the best clinical outcome for the patient. Contact your Team Medical Sales Rep for product information, pricing or samples or complete our online request form at www.teammed.com.au/activhealrequest



SIGN UP FOR FREE TODAY



JOIN THE ACTIVHEAL ACADEMY®

The ActivHeal® multi-tiered education programme is designed to support clinicians of differing levels, ranging from basic simplified guides through to the comprehensive **ActivHeal® Academy** module programme.






ActivHeal® FOAM NON ADHESIVE

ActivHeal® Foam Non Adhesive is a versatile dressing developed to offer protection and absorbency on moderate to heavily exuding wounds.



- ✓ Excellent absorption of exudate
- ✓ Versatile
- ✓ Low friction backing
- ✓ Reduces the risk of maceration
- ✓ Waterproof and bacterial barrier
- ✓ Conformable
- ✓ Low friction membrane
- ✓ Promotes healing through a moist wound environment



Indications for use:

ActivHeal® Foam Non Adhesive is indicated for moderate to heavily exuding wounds:

- ✓ Abrasions
- ✓ Lacerations
- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds

Moderate > Heavy Exudate



ActivHeal® Foam Non Adhesive dressings are suitable for use under compression bandaging.

	CONFORMABLE	MOIST WOUND HEALING	PROTECTS THE PERIWOUND	EXCELLENT ABSORPTION
5 x 5cm	ADM10009113	Box/10	\$46.00*	3+ \$42.45*
7.5 x 7.5cm	ADM10009114	Box/10	\$54.55*	3+ \$50.30*
10 x 10cm	ADM10009115	Box/10	\$71.95*	3+ \$66.35*
10 x 20cm	ADM10011265	Box/10	\$102.35*	3+ \$94.40*
20 x 20cm	ADM10009117	Box/10	\$216.90*	3+ \$200.05*
Heel 18 x 12cm	ADM10010227	Box/5	\$109.10*	3+ \$98.85*

ActivHeal® FOAM ADHESIVE

ActivHeal® Foam Adhesive is a flexible absorbent foam dressing ideal for moderate to heavily exuding wounds.



- ✓ Excellent absorption of exudate
- ✓ Versatile
- ✓ Reduces the risk of maceration
- ✓ Waterproof film
- ✓ Bacterial Barrier
- ✓ Conformable
- ✓ Low friction membrane
- ✓ Promotes healing through a moist wound environment



Indications for use:

ActivHeal® Foam Adhesive is indicated for moderate to heavily exuding wounds:

- ✓ Abrasions
- ✓ Lacerations
- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Graft Donor Sites
- ✓ Skin Graft Wounds


Moderate > Heavy Exudate



ActivHeal® Foam Adhesive dressings are suitable for use under compression bandaging.

	CONFORMABLE	MOIST WOUND HEALING	PROTECTS THE PERIWOUND	EXCELLENT ABSORPTION
7.5 x 7.5cm	ADM10010232	Box/10	\$59.00*	3+ \$54.40*
10 x 10cm	ADM10009109	Box/10	\$74.20*	3+ \$68.40*
12.5 x 12.5cm	ADM10009110	Box/10	\$91.25*	3+ \$84.15*
15 x 15cm	ADM10009111	Box/10	\$114.60*	3+ \$105.70*
20 x 20cm	ADM10009112	Box/10	\$171.65*	3+ \$155.50*

ActivHeal is a registered Trademark of Advanced Medical Solutions Limited.




ActivHeal® SILICONE FOAM LITE

MINIMISES EPIDERMAL STRIPPING	REDUCES PAIN AT DRESSING CHANGES	PROTECTS THE PERIWOUND	FOR NIL TO LOW ABSORPTION

ActivHeal® Silicone Foam Lite is a sterile wound dressing that is soft, thin, discreet and conformable to anatomical contours.

- ✓ Breathable
- ✓ Gentle secure adhesion to the skin
- ✓ Can remain in situ for up to 7 days
- ✓ Minimises pain at dressing changes
- ✓ Perforated wound contact layer
- ✓ Minimises maceration and damage to the surrounding skin
- ✓ Water resistant and bacterial barrier
- ✓ Low friction
- ✓ Easy to remove
- ✓ Maintains a moist wound environment

BEST BUY



Indications for use:

ActivHeal® Silicone Foam Lite dressing is indicated for use in the management of non to low exuding, chronic and acute wounds throughout the healing process. The dressing is indicated for use on the following wounds:

- ✓ Abrasions
- ✓ Lacerations
- ✓ Post Operative Surgical Wounds
- ✓ Skin Tears
- ✓ Superficial and Partial Thickness Burns
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers
- ✓ Radiation Damaged Skin

ActivHeal® Silicone Foam Lite dressings are suitable for use under compression bandaging.

Nil > Low Exudate



ActivHeal® Silicone Foam Lite Border

5 x 5cm	ADM9023687	Box/10	\$32.65*	3+	\$30.15*
5.5 x 12cm	ADM9023694	Box/10	\$62.35*	3+	\$57.50*
7.5 x 7.5cm	ADM9023700	Box/10	\$55.45*	3+	\$51.15*
10 x 10cm	ADM9023717	Box/10	\$82.45*	3+	\$75.70*
15 x 15cm	ADM9023724	Box/10	\$141.80*	3+	\$130.20*

ActivHeal® Silicone Foam Lite Non Border

7.5 x 7.5cm	ADM9023755	Box/10	\$52.05*	3+	\$48.00*
10 x 10cm	ADM9023762	Box/10	\$80.65*	3+	\$74.05*
15 x 15cm	ADM9023779	Box/10	\$174.55*	3+	\$160.30*

ActivHeal is a registered Trademark of Advanced Medical Solutions Limited.



ActivHeal® SILICONE FOAM

MINIMISES EPIDERMAL STRIPPING	REDUCES PAIN AT DRESSING CHANGES	PROTECTS THE PERIWOUND	FOR NIL TO LOW ABSORPTION

ActivHeal® Silicone Foam dressings have a gentle but secure adhesion with minimal epidermal stripping or pain on removal.

- ✓ Highly conformable
- ✓ Excellent absorption of exudate
- ✓ Can remain in situ for up to 7 days
- ✓ Minimises pain at dressing changes
- ✓ Perforated wound contact layer
- ✓ Minimises maceration and damage to the surrounding skin
- ✓ Water and bacterial barrier
- ✓ For moderately to heavily exuding wounds
- ✓ Promotes healing through a moist wound environment



BEST BUY

Indications for use:

ActivHeal® Silicone Border and Non-Border Foam dressings are indicated for use on moderately to heavily exuding chronic and acute wounds. The dressing may be used throughout the healing process on:

- ✓ Abrasions
- ✓ Post Operative Surgical Wounds
- ✓ Superficial and Partial Thickness Burns
- ✓ Pressure Ulcers
- ✓ Venous Leg Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Foot Ulcers

ActivHeal® Silicone Foam dressings are suitable for use under compression bandaging.

Nil > Low Exudate



ActivHeal® Silicone Foam Border

7.5 x 7.5cm	ADM9001470	Box/10	\$54.20*	3+	\$50.00*
10 x 10cm	ADM9001487	Box/10	\$80.50*	3+	\$74.25*
12.5 x 12.5cm	ADM9001494	Box/10	\$111.65*	3+	\$102.95*
10 x 20cm	ADM9001500	Box/10	\$142.40*	3+	\$131.35*
15 x 15cm	ADM9001517	Box/10	\$136.30*	3+	\$125.70*
20 x 20cm	ADM9001524	Box/10	\$190.35*	3+	\$175.60*
Sacral	ADM9001531	Box/10	\$216.55*	3+	\$199.75*

ActivHeal® Silicone Foam Non Border

5 x 5cm	ADM9001548	Box/10	\$61.20*	3+	\$56.45*
7.5 x 7.5cm	ADM9001555	Box/10	\$73.70*	3+	\$67.95*
10 x 10cm	ADM9001562	Box/10	\$85.55*	3+	\$78.90*
10 x 20cm	ADM9001579	Box/10	\$154.75*	3+	\$142.70*
15 x 15cm	ADM9001449	Box/10	\$183.85*	3+	\$166.55*
20 x 20cm	ADM9001586	Box/10	\$222.30*	3+	\$207.55*

ActivHeal is a registered Trademark of Advanced Medical Solutions Limited.

+ Give your patients the confidence to heal

The ALLEVYN Gentle Border Range combines ALLEVYN's active fluid management technology with silicone and soft gel adhesives.

- Minimal pain for patients with fragile or sensitive skin¹
- Minimal trauma to the wound and surrounding skin¹
- Also available with silver to help reduce the risk of infection in high risk wounds
- Conformable, has a multi-way stretch and can be cut making it ideal to dress awkward areas
- Up to 7 days wear time²

Smith+Nephew



ALLEVYN[®] GENTLE BORDER Foam Dressing

Code	Product description	Items per unit
ALLEVYN Gentle Border		
66800269	7.5cm x 7.5cm	Box/10
66800270	10cm x 10cm	Box/10
66800900	10cm x 20cm	Box/10
66800264	10cm x 25cm	Box/10
66800265	10cm x 30cm	Box/10
66800272	12.5cm x 12.5cm	Box/10
66800273	17.5cm x 17.5cm	Box/10
ALLEVYN Gentle Border Heel		
66800506	23cm x 23.2cm	Box/5
ALLEVYN Gentle Border Multisite		
66800959	17.1cm x 17.9cm	Box/10
ALLEVYN Gentle Border Sacrum		
66800898	16.8cm x 17.1cm	Box/10
ALLEVYN Gentle Border Lite		
66800833	5cm x 5cm Square	Box/10
66800836	5.5cm x 12cm Rectangle	Box/10
66801013	8.6cm x 7.7cm Oval	Box/10
66801041	8cm x 8.4cm Multisite	Box/10

1. Hurd, T, et al: A multicentre in-market evaluation of Allevyn Gentle Border. *Wounds UK*, 2009; 5(3):32-44. 2. Volunteer Trial Report Reference VTR/HVT 050. Results from an open, prospective, randomised, within volunteer comparison of Dakota and Mepilex Border. Palmer S and Smith G. December 2008.

Smith & Nephew Pty Ltd (Australia) www.smith-nephew.com/australia.
Smith & Nephew Ltd (New Zealand) www.smith-nephew.com/new-zealand.
®Trademark of Smith+Nephew. All trademarks acknowledged. SN14843 V1 03/20. For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.



Allewyn Gentle Border

Allewyn Gentle dressing has an advanced triple-layer construction which combines an absorbent hydrocellular pad sandwiched between a perforated Soft Gel wound contact layer and a highly permeable waterproof outer film.

- Extra care for fragile skin
- Silicone gel adhesive ensures minimal pain upon removal
- Secures dressing in place for up to 7 days depending on amount of exudate
- Use under retention or compression bandages



Allewyn Gentle Border

Indications: For use on frail skin and wounds with moderate to high levels of exudate, such as skin tears.

7.5 x 7.5cm	SN66800269	Box/10	\$89.25*	3+	\$82.35*
10 x 10cm	SN66800270	Box/10	\$123.20*	3+	\$113.70*
12.5 x 12.5cm	SN66800272	Box/10	\$154.00*	3+	\$142.10*
17 x 17.5cm	SN66800273	Box/10	\$289.95*	2+	\$264.70*

Allewyn Gentle Border Multisite

Indications: Low to moderate exuding wounds

17.1 x 17.9cm	SN66800959	Box/10	\$225.75*	3+	\$209.05*
---------------	------------	--------	-----------	----	-----------

The unique tri-lobe design is ideal for use on awkward body areas such as the knee and elbow. Easy to apply and remove; can be repositioned easily without losing its adherent properties.



Allewyn Gentle Border Heel

23 x 23.2cm	SN66800506	Box/5	\$160.75*
-------------	------------	-------	-----------



Allewyn Gentle Border Sacrum

16.8 x 17.1cm	SN66800898	Box/10	\$152.80*
---------------	------------	--------	-----------



Allewyn Gentle Border Lite

ALLEVYN Gentle Border Lite dressings are indicated for use on low to moderately exuding

- Extra care for fragile skin
- Silicone gel adhesive ensures minimal pain upon removal
- Secures dressing in place for up to 7 days depending on amount of exudate

5 x 5cm square	SN66800833	Box/10	\$37.35*	3+	\$32.60*
5.5 x 12cm rectangle	SN66800836	Box/10	\$41.30*	3+	\$37.80*
8.6 x 7.7cm oval	SN66801013	Box/10	\$54.65*	3+	\$50.00*
8 x 8.4cm multisite (pad size 5.8 x 5.4cm)	SN66801041	Box/10	\$70.40*	3+	\$64.95*



Exudate management - Advanced Foam dressings

The ALLEVYN range of dressings from Smith & Nephew is a comprehensive range of absorbent foam dressings. Trusted with over 25 years of clinical use, the ALLEVYN Range has a history of innovation and putting people first, with a true understanding of the human body and the experience of living with a wound.

Allevyn Classic

Allevyn Non-Adhesive

The polyurethane wound contact layer prevents sticking to a full range of wound types; especially suitable for fragile skin

- Fast fluid absorption and superior breathability
- Non adhesive wound contact layer
- Waterproof outer film layer
- Sealed and shaped edges reduce leakage
- Full range of sizes



Smith+Nephew

Allevyn Adhesive

- Dynamic breathable top film
- Faster fluid removal and increased breathability
- Optimises a moist wound environment: faster healing of the wound
- Reduced risk of maceration
- Comfortable, convenient and cost effective
- Dressing for moderate to highly exuding wounds for up to seven days



Indications: Venous, arterial and diabetic foot ulcers, pressure ulcers and chronic wounds.

Allevyn Non-Adhesive	5 x 5cm	SN66007643	Box/10	\$96.05*	3+	\$88.65*	
Allevyn Non-Adhesive	10 x 10cm	SN66007637	Box/10	\$150.75*	3+	\$139.10*	
Allevyn Adhesive	7.5 x 7.5cm	SN66000043	Box/10	\$90.60*	3+	\$83.55*	
Allevyn Adhesive	10 x 10cm	SN66000599	Box/10	\$124.75*	3+	\$115.10*	
Allevyn Adhesive	12.5 x 12.5cm	SN66000044	Box/10	\$156.30*	3+	\$144.20*	

Allevyn Heel	10.5 x 13.5cm	SN66007630	Box/5	\$138.70*	3+	\$127.95*	
Allevyn Sacrum	17 x 17cm	SN66000700	Box/10	\$159.80*	3+	\$149.20*	
Allevyn Sacrum	22 x 22cm	SN66000451	Box/10	\$277.40*	3+	\$259.05*	

Allevyn LIFE

ALLEVYN Life dressing is a multi-layered design incorporating hydrocellular foam, hyper-absorber lock away core and masking layer which has been designed for people and their everyday life through:

- Unique quadrilobe shape with a wide border designed to fit the contours of the human body
- Allows patients to shower
- Protective masking layer minimises the visual impact of strikethrough
- Excellent fluid locking under pressure
- Provides the patient with peace of mind leakage prevention
- The multi-layered design provides cushioning and helps to spread pressure
- Silicone wound contact layer offers minimal pain and discomfort on removal
- Change indicator optimises dressing change frequency

Smith+Nephew



Designed for people. Designed for life

Small	10.3 x 10.3cm	SN66801067	Box/10	\$91.05*	3+	\$84.00*	Do you normally use Allevyn Gentle border? The following sizes would compare:	7.5 x 7.5cm
Medium	12.9 x 12.9cm	SN66801068	Box/10	\$125.70*	3+	\$115.95*		10 x 10cm
Large	15.4 x 15.4cm	SN66801069	Box/10	\$157.10*	3+	\$144.90*		12.5 x 12.5cm

Allevyn Thin

Adhesive Dressing for Moderately Exuding Wounds

Allevyn Thin is a highly conformable, semi-permeable, semi-translucent wound dressing.

- Maintains a moist wound environment
- Waterproof and bacteria proof
- Permeable to oxygen and water vapour

Indications: Low to moderate exudating wounds

5 x 6cm	SN66047576	Box/10	\$70.75*	3+	\$65.30*
10 x 10cm	SN66047578	Box/5	\$71.05*	3+	\$65.00*



Smith+Nephew



For complete listings of Smith & Nephew products, treatment options, education and event calendar

Visit <https://www.smith-nephew.com/australia/healthcare/products/>



Smith+Nephew



MEET OUR TEAM: STEVE

Steve is a wealth of knowledge, with an extensive background in Pharmacy, Veterinary and Multinational Pharmaceuticals. Steve has been looking after our Melbourne customers for over 3 years. He loves the challenge of new products, but the same amazing customers.

Steve is a regular at the conferences we attend. He loves to chat with new and existing customers about the latest medical equipment, sharing his expert opinions. You may not know that he has tattoos – but you probably all know that he loves watching AFL (his beloved Richmond Tigers!).

Next holiday destination? Port Douglas
Your favourite food? Fish and chips

SALES - VIC



3M™ Tegaderm™ Foam Adhesive

High Performance Foam Adhesive Dressing

Highly absorbent, breathable, wound dressing. Designed to allow easy one handed application to difficult body contours, including heel and elbows without the need for cutting. Indicated as a primary dressing for low to highly exuding, partial or full thickness dermal wounds. May also be used as a secondary dressing.



Tegaderm Foam Adhesive

6.9 x 7.6cm	Pad Size 3.1 x 3.8cm	Mini Oval	3M90614	Box/10	\$54.95*	2+	\$52.05*
8.8 x 8.8cm	Pad Size 5 x 5cm	Square	3M90610	Box/10	\$68.65*	2+	\$65.55*
10 x 11cm	Pad Size 6 x 7.6cm	Oval	3M90611	Box/10	\$74.95*	2+	\$67.15*
14.3 x 14.3cm	Pad Size 10 x 10cm	Square	3M90612	Box/10	\$114.50*	2+	\$107.10*
14.3 x 15.6cm	Pad Size 10 x 11cm	Oval	3M90613	Box/5	\$59.35*	2+	\$53.80*
14 x 14cm	Pad Size 7.6 x 7.6cm	Circular heel/Elbow	3M90619	Box/5	\$70.45*	2+	\$66.75*

MEET OUR TEAM: DIANNE SALES - NSW

Dianne and her brother Harry were Team's first Sydney sales reps 11 years ago. Dianne has over 25 years of experience in the medical supplies industry. Dianne loves to look after her customers and is always willing to go above and beyond.

Outside work, Dianne loves spending time in her garden, knitting many different things and singing her heart out at Karaoke. Dianne hopes to get to Europe for her next big holiday!

Dianne's role model is her dad, who fled the North of Vietnam to the South when he was only 24 and worked hard to provide for their family (wife and 7 children including Harry and herself).

What sports do you like playing? Badminton

Favourite holiday destination? Hawaii



MEET OUR TEAM: HARRY

SALES - SYDNEY



Harry has been looking after his customers for Team Medical for over 11 years and is never shy to offer his expert opinion. He aims to help his customers have a smoother running practice and is focused on always offering better value.

Harry's next travel destination is Europe. He plans to spend time in France and Belgium to catch up with old friends that live there.

Harry enjoys staying active by playing tennis; he also enjoys watching swimming and soccer.

What is your favourite animal? Cat

Which series do you watch? SVU (Law & Order), Bridgerton and Mom (American comedy)



Did you know that Harry and Dianne aren't the only sibling duo in our sales team? There's also sisters Lauren and Adrienne looking after customers in WA. *'We're more than a team, we're family'*

Aquacel Foam

The only FOAM that has it all - comfort, simplicity and the healing benefits of an AQUACEL contact layer

- Protective Water Proof/Bacteria Barrier provides evaporation of excess moisture; allows patient to shower and bathe
- Soft Absorbent FOAM pad enhances patient comfort and absorbs excess fluid
- AQUACEL contact layer gels on contact with wound exudate to maintain a moist environment
- Gentle silicone adhesive designed to adhere to surrounding skin, not to the wound bed



AQUACEL Foam

Aquacel Foam Non-Adhesive

5 x 5cm	CON420631	Box/10	\$52.70*	2+	\$48.20*
10 x 10cm	CON420633	Box/10	\$89.85*	2+	\$79.30*
15 x 15cm	CON420635	Box/5	\$96.45*	2+	\$87.45*

Aquacel Foam Adhesive

8 x 8cm	CON420804	Box/10	\$57.40*	2+	\$50.65*
10 x 10cm	CON420680	Box/10	\$86.10*	2+	\$76.00*
12.5 x 12.5cm	CON420619	Box/10	\$87.80*	2+	\$80.30*

Foam Lite™ ConvaTec

Foam Lite™ ConvaTec dressings are intended for the management of a wide range of low to non exuding wounds.

Designed specifically for the management of low to non-exuding chronic and acute wounds. FoamLite ConvaTec dressing is a thin foam dressing with a breathable film and perforated, gentle skin friendly silicone adhesive. It is flexible and conforms to the body even in awkward positions



8 x 8cm	CON421557	Box/10	\$66.40*	3+	\$64.65*
10 x 10cm	CON421559	Box/10	\$88.90*	3+	\$86.55*
15 x 15cm	CON421561	Box/10	\$181.60*	3+	\$173.40*
5.5 x 12cm	CON421563	Box/10	\$72.60*	3+	\$70.65*



FoamLite
ConvaTec



Biatain®

Conformable Polyurethane Foam Dressing

- Soft and conformable polyurethane foam dressing that effectively absorbs and retains wound exudate
- Ensuring a moisture balance that is optimal for healing of exuding wounds
- When in contact with exudate the unique 3D foam structure of Biatain conforms closely to the wound bed even under compression
- Superior absorption and retention of exudate minimises risk of maceration and leakage
- Can be worn up to 7 days

Biatain Non-Adhesive

Superior absorption for wounds with extra fragile skin

5 x 7cm	COL6105	Box/10	\$84.10*	2+	\$76.10*
10 x 10cm	COL3410	Box/10	\$114.55*	2+	\$103.70*
15 x 15cm	COL3413	Box/5	\$105.40*	2+	\$94.60*
10 x 20cm	COL3412	Box/5	\$138.00*	2+	\$123.85*

Biatain Adhesive

Soft and conformable polyurethane foam dressing with a hydrocolloid adhesive border.

7.5 x 7.5cm	COL3462	Box/10	\$75.70*	2+	\$68.50*
12.5 x 12.5cm	COL3420	Box/10	\$132.95*	2+	\$120.15*



See page 299 for Biatain AG

Mepilex®




Mepilex® is a foam dressing suitable for a wide range of exuding wounds, such as venous leg ulcers or diabetic ulcers.

- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Minimises the risk of maceration²
- Can be cut to fit making it ideal for difficult-to-dress areas
- Soft and conformable
- Requires secondary fixation, such as Tubifast®



10 x 10cm	MOL294100	Box/5	\$45.50*	3+	\$41.40*
10 x 20cm	MOL294200	Box/5	\$90.20*	3+	\$81.40*

Mepilex® Lite



Mepilex® Lite is a thin foam dressing for low-exuding acute and chronic wounds.

- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Minimises the risk of maceration³
- Very soft and conformable – suitable for areas requiring protection of compromised and/or fragile skin
- Clinically proven to significantly reduce the severity of skin reactions from radiotherapy treatment
- Requires secondary fixation, such as Tubifast®



6 x 8.5cm	MOL284000	Box/5	\$27.55*	3+	\$25.45*
10 x 10cm	MOL284100	Box/5	\$41.30*	3+	\$38.20*
15 x 15cm	MOL284300	Box/5	\$104.50*	3+	\$97.35*

Mepilex® XT



Mepilex® XT's low and high viscosity fluid-management properties can be used on exuding wounds at all stages of wound healing.

- Exudate channels designed to handle thick exudate
- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Handles more fluid than other foam dressings[†]
- Absorbs fluid faster than other foam dressings[†]
- Effective on exuding wounds at any wound healing stage
- Requires fewer dressing changes compared to other foam dressings



5 x 5cm	MOL211015	Box/5	\$37.50*	3+	\$35.20*
10 x 10cm	MOL211100	Box/5	\$47.25*	3+	\$44.55*

[†]For reference data please visit www.molnlycke.com.au

Mepilex® Heel / Mepilex® Border Heel



Mepilex® Heel / Mepilex® Border Heel are shaped foam dressings, designed for heels and typically used for the treatment and prevention of pressure injuries.

- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Minimises the risk of maceration
- Effective exudate management



Mepilex® Heel 13 x 20cm	MOL288100	Box/5	\$118.15*
Mepilex® Border Heel 22 x 23cm	MOL282750	Box/6	\$135.85*

References 1, White R. A Multinational survey of the assessment of pain when removing dressings. Wounds UK, 2008. 2, Dykes PJ et al. Effect of adhesive dressings on the stratum corneum of the skin. Journal of Wound Care, 2001. 3, Wiberg A.B. et al. Preventing maceration with a soft silicone dressing: in-vitro evaluations. Poster presented at the 3rd Congress of the WUWHs, Toronto, Canada, 2008. [†]For reference data please visit www.molnlycke.com.au

Mepilex® Border Flex

High exudate level

Absorbent self-adherent foam dressing with 360 stretch Flex Technology

- Proprietary Flex Technology creates great conformability
- A dressing that moves with the patient and stays on even in the shower
- Safetac® technology means less pain and damage during dressing changes¹
- The five-layer dressing absorbs, channels and traps exudate and allows you to track exudate progress
- Keeps exudate away from the wound bed and prevents re-entry, even under compression

You can use Mepilex® Border Flex to treat a wide range of exuding chronic and acute wounds, such as diabetic foot ulcers, venous leg ulcers, pressure injuries, skin tears and traumatic wounds. Mepilex® Border Flex is now also available in oval shape because wounds are not square and at times a special shape might be just what you need for that secure fixation.

Square

7.5 x 7.5cm	MOL595211	Box/10	\$66.85*	2+	\$60.80*
10 x 10cm	MOL595311	Box/10	\$95.35*	2+	\$86.75*
12.5 x 12.5cm	MOL595011	Box/10	\$128.25*	2+	\$116.70*
15 x 15cm	MOL595411	Box/10	\$189.00*	2+	\$171.95*
15 x 20cm	MOL595611	Box/10	\$247.35*	2+	\$225.00*

Oval

7.8 x 10cm	MOL583500	Box/5	\$53.95*	2+	\$49.10*
13 x 16cm	MOL583300	Box/5	\$86.10*	2+	\$77.70*
15 x 19cm	MOL583400	Box/5	\$119.75*	2+	\$108.05*



Mepilex® Border Flex Lite

Medium exudate level

Thin absorbent self-adherent foam dressing with 360 stretch Flex Technology

- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Very thin and discrete to allow patients to live a normal life
- Thin and conformable to dress wounds on feet and toes, hands and fingers
- Showerproof – with a film backing providing a barrier to virus and bacteria (of size >25nm)

4 x 5cm	MOL581011	Box/10	\$42.30*	3+	\$39.10*
5 x 12.5cm	MOL581100	Box/5	\$36.00*	3+	\$33.30*
7.5 x 7.5cm	MOL581200	Box/5	\$30.10*	3+	\$27.85*
10 x 10cm	MOL581300	Box/5	\$47.00*	3+	\$43.45*
15 x 15cm	MOL581500	Box/5	\$98.80*	3+	\$92.05*



Mepilex® Border Post-Op

High exudate level

Mepilex® Border Post-Op is an all-in-one post-operative dressing designed to absorb and retain surgical wound fluid.

The design of Mepilex® Border Post-Op provides high flexibility and conformability over joints, such as knees or hips, promoting early patient mobilisation.

Mepilex® Border Post-Op may be left in place for up to seven days depending on the condition of the wound and the surrounding skin, or as indicated by the local clinical practice.

6 x 8cm	MOL496100	Box/10	\$68.30*	3+	\$61.80*
9 x 10cm	MOL496200	Box/10	\$103.65*	3+	\$93.75*
10 x 15cm	MOL496300	Box/10	\$152.30*	3+	\$137.75*
10 x 20cm	MOL496400	Box/10	\$219.45*	3+	\$200.10*



Safetac®
TECHNOLOGY

Designed with Safetac® technology to minimise pain and peri-wound skin damage at dressing removal.¹

The antimicrobial advantage

Mepilex® Ag

Antimicrobial absorbent foam dressing.

For a range of low to moderately exuding wounds such as:

- Infected wounds
- Leg ulcers, foot ulcers and pressure injuries



SafetaC
TECHNOLOGY



Mepilex® Border Ag

Mepilex Border Ag is an all-in-one antimicrobial foam dressing, designed for both chronic and acute wounds.

For a range of acute and chronic wounds such as:

- Traumatic wounds
- Pressure injuries



SafetaC
TECHNOLOGY



Mepilex® Transfer Ag


Mepilex Transfer Ag is a flexible antimicrobial exudate transfer dressing. The foam structure channels exudate vertically into a secondary absorbent dressing.

For large and/or difficult-to-dress wounds, such as:

- Heavily exuding wounds
- Leg and diabetic foot ulcers



SafetaC
TECHNOLOGY




Exufiber® Ag+

Exufiber Ag+ is an antimicrobial gelling fibre dressing with rapid and sustained antimicrobial action against a broad range of bacteria, including biofilms¹.

For deep and/or highly exuding wounds such as:

- Diabetic foot ulcers and venous leg ulcers
- Pressure injuries



References: 1. Davis S et al. Preclinical evaluation of a novel silver gelling fiber dressing on Pseudomonas aeruginosa in a porcine wound infection model. Wound Rep Reg (2019)27360.

www.molnlycke.com.au

You will be required to input the following code **1FtYrV** or your **AHPRA registration number** to access our websites.
Mölnlycke, 12 Narabang Way, Level 4, Belrose, NSW, 2085. Phone 1800 005 231. The Mölnlycke, Exufiber, Mepilex and SafetaC trademarks names and logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. ©2022 Mölnlycke Health Care. All rights reserved. AUWC_IM00036_Advert_v1


Mölnlycke®



Mepilex® Ag

Medium exudate level

Antimicrobial foam dressing with Safetac® technology.

- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Soft and comfortable wound contact layer
- Seals wound edges preventing leakage and minimising the risk of maceration
- Inactivates wound related pathogens within 30 minutes with a sustained effect for up to seven days*
- Requires retention, such as Tubifast®



10 x 10cm	MOL287110	Box/5	\$152.15*	3+	\$138.40*
10 x 20cm	MOL287210	Box/5	\$274.30*	3+	\$250.15*

Mepilex® Border Ag

High exudate level

Antimicrobial absorbent self-adherent dressing with Safetac® technology.

- Minimises pain and trauma at dressing changes using Safetac® technology¹
- Antimicrobial all-in-one foam that effectively absorbs and retains exudate
- Seals wound edges preventing leakage and minimising the risk of maceration
- Inactivates wound related pathogens within 30 minutes with a sustained effect for up to 7 days*
- Showerproof – with a film backing providing a barrier to virus and bacteria (of size >25mm)



7.5 x 7.5cm	MOL395200	Box/5	\$106.25*	3+	\$96.65*
10 x 10cm	MOL395300	Box/5	\$163.40*	3+	\$148.60*

Lyof foam® Max

High exudate level

Polyurethane foam dressing

Designed for the management of moderate to heavily exuding wounds, such as leg ulcers and pressure injuries



7.5 x 8.5cm	MOL603200	Box/10	\$64.65*	3+	\$58.80*
10 x 10cm	MOL603201	Box/10	\$75.55*	3+	\$68.70*

Exufiber® Ag+

Transfers efficiently. Removes cleanly.
Prevents biofilm reformation.

- Exufiber Ag+ is a non-woven polyvinyl alcohol fiber dressing that **transforms into a gel** upon contact with exudate healing it to softly conform to the wound bed.
- The tightly packed fibers keep exudate locked in, while the **capillary action enables transfer of exudate to the secondary dressing.**
- Exufiber Ag+ **promotes autolytic debridement** and easily removes in one piece, to support a clean wound bed.
- In contact with liquid, Exufiber Ag+ releases silver ions and inactivates a variety of wound-related pathogens, such as bacteria, fungi and moulds
- By reducing the number of microorganisms, Exufiber Ag+ can prevent the formation of biofilm

Intended use: Exufiber Ag+ is intended to be used on medium to highly exuding wounds, such as venous leg ulcers, diabetic ulcers and pressure injuries.

5 x 5cm	MOL603401	Box/10	\$143.60*
10 x 10cm	MOL603402	Box/10	\$301.95*



Allewyn AG

Effective exudate management and effective antimicrobial action in one dressing

Allewyn AG is an absorbent antimicrobial three layer dressing consisting of:

An SSD (Silver Sulfadiazine) containing absorbent hydrocellular pad sandwiched between a perforated non adherent wound contact layer and a waterproof outer film.

- Highly effective
- Reduces bacterial load to eliminate barriers to healing
- Long lasting
- Sustained antimicrobial activity for up to 7 days
- Broad spectrum
- Reliable protection



Smith+Nephew



Allewyn AG Gentle Border

7.5 x 7.5cm	SN66800460	Box/10	\$141.30*	3+	\$130.40*
10 x 10cm	SN66800461	Box/10	\$211.40*	3+	\$195.05*

Allewyn AG Non-Adhesive

5 x 5cm	SN66800083	Box/10	\$147.50*	3+	\$136.05*
10 x 10cm	SN66800086	Box/10	\$241.45*	3+	\$222.75*

Allewyn AG Adhesive

7.5 x 7.5cm	SN66800073	Box/10	\$142.70*	3+	\$131.65*
10 x 10cm	SN66800075	Box/10	\$215.65*	3+	\$198.95*
12.5 x 12.5cm	SN66800078	Box/10	\$259.10*	3+	\$239.95*



For complete listings of Smith & Nephew products, treatment options, education and event calendar

Visit <https://www.smith-nephew.com/australia/healthcare/products/>




Smith+Nephew

Atrauman® Ag

Silver wound contact layer

Atrauman® Ag is a low adherent wound contact layer which contains silver. Designed specifically for contaminated, traumatic or at risk wounds helping reduce the risk of infection.

- Low toxicity to human cells so safe to use
- Fine weave allows passage of exudate away from the wound surface
- Reduces risk of bacterial burden
- Low adherent
- Up to 3 days wear time



5 x 5cm	HTM4995716	Box/10	\$92.95*
10 x 10cm	HTM4995736	Box/10	\$185.75*
10 x 20cm	HTM4995756	Box/10	\$268.15*

APPLICATION:





Biatain® AG Non-Adhesive

Conformable Polyurethane Foam Dressing

- Soft and conformable silver foam dressing that is proven to help infected wounds heal faster
- Effective on bacteria commonly found in infected non-healing wound
- Continuous anti-bacterial effect during entire wear time
- Due to the sustained silver release profile there is a continuous anti-bacterial effect during entire wear time (up to 7 days)
- Patented with a silver complex with broad anti-bacteria profile

5 x 7cm	COL5105	Box/5	\$115.05*	2+	\$103.25*
10 x 10cm	COL9622	Box/5	\$196.95*	2+	\$176.20*
5 x 8cm cavity	COL9628	Box/5	\$99.15*	2+	\$90.20*



GET ONLINE WITH US

Some of our customers' favourite features include:

- Automatically saved cart - cart never empties
- Intuitive ordering - stops you from over ordering
- View and track your previous orders



Find us online at www.teammed.com.au

Get started today.
Scan the QR Code.



Acticoat

Antimicrobial Barrier Dressing

- The Nanocrystalline silver coating rapidly kills a broad spectrum of bacteria
- Can stay in place for up to 3 days
- Cut to appropriate size
- Fast acting and long lasting
- Effective barrier to bacterial penetration
- Maintain a moist wound environment; prevents infection

Acticoat - Three-Day Antimicrobial Barrier Dressing

5 x 5cm	SN66000808	Box/5	\$120.30	3+	\$111.00
10 x 10cm	SN66000789	Box/5	\$225.10	3+	\$207.70

Acticoat 7 - Seven-Day Antimicrobial Barrier Dressing

5 x 5cm	SN66000809	Box/5	\$198.40	3+	\$183.05
10 x 12.5cm	SN66000796	Box/5	\$525.45	3+	\$484.80



Smith+Nephew

Acticoat Flex

Antimicrobial Barrier Dressing

- Highly conformable and flexible
- Sustained (3 or 7 day) antimicrobial activity against a broad spectrum of wound pathogens including MRSA & Pseudomonas Aeruginosa.
- One way stretch improves patient mobility

Indications: For partial and full thickness wounds, pressure ulcers, venous leg ulcers, diabetic foot ulcers, burns and infected wounds, or wounds that may be susceptible to infection.

Acticoat Flex 3

5 x 5cm	SN66800396	Box/5	\$121.75	3+	\$112.30
10 x 10cm	SN66800398	Box/5	\$227.80	3+	\$210.15

Acticoat Flex 7

5 x 5cm	SN66800395	Box/5	\$196.05	3+	\$180.85
10 x 12.5cm	SN66800397	Each	\$106.35	3+	\$98.10



Smith+Nephew

IODOSORB

Smith+Nephew

IODOSORB is a sterile formulation of cadexomer iodine (0.9%) indicated for the treatment and healing of chronic ulcers. The iodine in IODOSORB is bound within the cadexomer smart micro-beads. When IODOSORB comes in contact with the wound, it absorbs exudate and debris and swells, gradually releasing iodine over time.

- Reduces the bacterial count
- Absorbs fluids, removes exudate, pus and debris
- Promotes healing: maintains a moist wound environment
- Forms a gel over the wound surface
- Range of sizes to suit most wound sizes
- Proven to remove wound biofilms

Indications: Chronic, non-healing wounds including leg ulcers, pressure ulcers, diabetic foot ulcers and exuding, infected wounds (in conjunction with systemic antibiotics).



	Iodosorb dressing 6 x 4cm 5g	SN66051330	Box/5	\$153.05	3+	\$141.20
	Iodosorb dressing 8 x 6cm 10g	SN66051340	Box/3	\$211.20	3+	\$195.60
	Iodosorb ointment 10g tube	SN66051240	Box/4	\$159.35	3+	\$147.00
	Iodosorb powder 3g sachet	SN66051070	Box/7	\$94.80	3+	\$87.50

Inadine

VVP-I Non-Adherent Dressing 5 x 5cm JJP01481 Box/25 \$61.45 2+ \$56.90

9.5 x 9.5cm JJP01512 Box/25 \$97.45 2+ \$90.25



3M™ Inadine™ (PVP-I) Non-adherent Dressing		
Item Code	Size	Dressings per box
P01481	5cm x 5cm	25
P01512	9.5cm x 9.5cm	25

To learn more about the benefits of Inadine Dressing **contact your 3M representative.**



Reliable

Inadine Dressing is a reliable, efficient and non-adherent dressing designed to manage bacterial contamination and prevent infection in both chronic and acute wounds.



Efficient

The Povidone Iodine molecule has a broad spectrum antimicrobial action^{1,2} and has been proven to be effective against MRSA³⁻⁵.



Non-adherent

Inadine Dressing minimises adherence to the wound bed, therefore reducing the risk of damage to the granulation tissue at dressing removal², and in clinical practice has been shown to reduce pain for patients^{6,7}.

Inadine Dressing is indicated to manage bacterial contamination and prevent infection in ulcerative wounds.

References: 1. Sibbald, R.G. et al. Iodine Made Easy. Wounds International 2011; 2(2). 2. Langley, S.R.N. INADINE™ wound dressings speed healing, reduce patient discomfort and cuts costs by almost 40%. Burns 1989 Vol.15. 3. Vowden, P. and Cooper, R.A. An integrated approach to managing wound infection Position Document: Management of wound infection. European Wound Management Association (EWMA). London: MEP Ltd, 2006. 4. Balmforth, V. INADINE™ Povidone iodine non adherent dressing as a treatment for superficial wounds infected with Methicillin resistant Staphylococcus aureus. Case Study, 1996. 5. Gordon, J. Clinical significance of methicillin-sensitive and methicillin resistant Staphylococcus aureus in UK hospitals and the relevance of povidone iodine in their control. Postgrad. Med J. 1993, 69(3):106-116. 6. Han, H.K. and Maitra, A.K. Management of partial-thickness burns with Inadine dressings. Burns 1989, 15(6):399-402. 7. Campbell, N. and Campbell, D. Evaluation of a non-adherent, povidone-iodine dressing in a case series of chronic wounds. JWC 2013, Vol. 22(8).

Medical Solutions Division
3M Australia Pty Limited
ABN 90 000 100 096
Building A, 1 Rivett Road
North Ryde NSW 2113
Phone: 1300 363 878
www.3M.com.au/medical

KCI Medical Australia Pty Ltd
Level 7/15 Orion Road
Lane Cove West NSW 2066
Phone: 1300 524 822
www.kciaustralia.com.au

© 3M 2021. All rights reserved.
3M and the other marks shown are marks and/or registered marks of 3M. Unauthorised use prohibited.
AV011502778



Cutimed® Sorbact®



It's time to go green

Based on natural physical processes and microbial interactions, Cutimed Sorbact dressings safely remove bacteria and fungi to prevent and treat infection, supporting the natural healing process in complex and hard to heal wounds such as venous leg ulcers, and diabetic ulcers.

Safe and effective infection management

Due to the purely physical mode of action, Cutimed® Sorbact® binds and removes bacteria without the release of any antimicrobial agents.

Experience the effectiveness of Cutimed® Sorbact®.





Watch the video to learn how Sorbact works





Download the product brochure




If you want to learn even more about Cutimed Sorbact's purely physical efficacy and mode of action, visit the Cutimed YouTube channel



Cutimed Sorbact Gel Dressings

Cutimed Sorbact® Gel Dressing combines the Sorbact® wound contact layer with a high moisture-donation water-based gel. The donation is essential for the autolytic debridement capacity in fibrinous, necrotic, and sloughy wounds.

7.5 x 7.5cm	AMC98136	Box/10	\$84.50*	2+	\$78.75*
7.5 x 15cm	AMCS98137	Box/5	\$121.05*	2+	\$112.80*



Cutimed Sorbact Compress Swab

Cutimed Sorbact Compress is a bacteria and fungi binding antimicrobial wound contact layer suitable for all wound types and can be used with any combination of secondary absorbent dressing and compression therapy.


7.5 x 7.5cm	AMCS98128	Box/40	\$169.30*	2+	\$157.80*
7.5 x 15cm	AMCS98125	Box/40	\$248.50*	2+	\$231.60*



Leukomed Sorbact

Innovative surgical post-operative dressing helps to reduce wound bacteria colonization by its physical mode of action.

5 x 7.2cm	AMCS98140	Box/100	\$297.50*	2+	\$277.25*
8 x 10cm	AMCS98141	Box/20	\$102.25*	2+	\$95.30*



Visit our website to view the entire Sorbact range





PICO[◇] 14

Single Use Negative Pressure Wound Therapy System

Helping you get **CLOSER TO ZERO[◇]** delay in wound healing

+ Powerful results in stalled wounds

PICO[◇] sNPWT^{*} has been shown to significantly reduce wound area by 39.1%[†] and depth by 32.5%[‡] when compared with tNPWT^{**} in patients with VLU and DFU over 12 weeks.¹

Turn around wound healing trajectory more effectively than standard dressings and tNPWT with PICO.²

Smith+Nephew



References: 1. Kirsner R, Dove C, Reyzelman A, Vayser D, Jaimes H. A prospective, randomized, controlled clinical trial on the efficacy of a single-use negative pressure wound therapy system, compared to traditional negative pressure wound therapy in the treatment of chronic ulcers of the lower extremities. *Wound Rep Regen*. 2019, May 14 <https://doi.org/10.1111/wrr.12727>. 2. Dowsett C, et al. Use of PICO[◇] to improve clinical and economic outcomes in hard-to-heal wounds. *Wounds International*. 2017;8, p53-58. * Single Use Negative Pressure Wound Therapy (sNPWT). † Mean reductions of 90.2 vs 51.0%; p<0.001; ITT population. ‡ Mean reductions of 45.6 vs 13.2%; p=0.014; ITT population. ** Traditional Negative Pressure Wound Therapy (tNPWT). Smith & Nephew Pty Ltd (Australia) www.smith-nephew.com/australia. Smith & Nephew Ltd (New Zealand) www.smith-nephew.com/new-zealand. †Trademark of Smith+Nephew. All trademarks acknowledged. 20619-anz V5 02/22. For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.



Negative Pressure Wound Therapy (NPWT) refers to the use of topical negative pressure to promote healing in acute and chronic wounds. The therapeutic benefits of NPWT include the reduction in bacterial load, an increase in blood flow to the wound and stimulation of granulation tissue formation.


Smith+Nephew

PICO 7

Single Use Negative Pressure Wound Therapy System

PICO is a novel, canister-free, single-use system; offering the ultimate in portable, accessible and affordable NPWT. PICO pump is more than twice as effective at dealing with air leaks, than its predecessor. This vastly improved efficiency could support healthcare professionals in delivering negative pressure and could potentially be used in problematic "hard to seal" awkward areas. New user interface with a dressing full indicator optimises dressing changes.

Indications: Acute and chronic wounds and closed surgical incisions with low to moderate levels of exudate.



Two dressings and one pump kit

10 x 20cm	SN66802002	\$346.40
15 x 15cm	SN66802005	\$346.40
15 x 20cm	SN66802006	\$341.60
25 x 25cm	SN66802009	\$341.60

PICO 14

Single Use Negative Pressure Wound Therapy System

Kick start hard to-heal wounds

PICO 14 Single Use Negative Pressure Wound Therapy System (sNPWT) designed to challenge delayed healing in hard-to-heal^{1,2} deep wounds.^{3,4}

PICO 14 sNPWT has an enhanced pump to facilitate use in large and deep wounds with less user intervention⁵

PICO 14 is a novel, canister free, sNPWT system that offers portable, accessible, and affordable NPWT.^{6,7} The PICO 14 system consists of a pioneering silicone adhesive dressing with AIRLOCK™ technology, that effectively delivers NPWT to indicated wound types using a small, simple to use, battery-operated device.^{8,9}

PICO 14 sNPWT has been shown to improve patient outcomes compared to standard dressings and traditional negative pressure (tNPWT)^{1,7,2}, whilst reducing cost compared to standard care.^{1,7}

- Pump duration of up to 14 days
- Aimed for use on deep wounds



Two dressings and one pump kit

10 x 20cm	SN66802042
10 x 30cm	SN66802043
15 x 15cm	SN66802045

\$469.75

References: 1) Dowsett C, Hampton J, Myers D, Styche T. Use of PICO to improve clinical and economic outcomes in hard-to-heal wounds. Wounds International. 2017;8, p53–58.2) Kirsner R, Dove C, Reyzelman A, Vayser D, Jaimes H. A Prospective, Randomized Controlled Clinical Trial of a Single-Use Negative Pressure Wound Therapy System Compared to Traditional Negative Pressure Wound Therapy in the Treatment of Chronic Ulcers of the Lower Extremities, e-published ahead of print. May 2019.3) Smith & Nephew 2018. The review of evidence supporting the use of PICO in wounds ≥2cm in depth. Internal report EO AWM. PCS230.001 v2.4) Smith & Nephew December 2018. Deeper Wounds Report PICO v2 (PICO 7 and PICO 14) Devices. Internal Report. RD/18/089 V2.5) Smith & Nephew 2019. Research & Development Report. PICO 14 and PICO 7 Initial Pump Down and Maintenance Pump Down Time Outs RD/19/0846) Hurd, T; Evaluating the costs and benefits of innovations in chronic wound care products and practices; Ostomy Wound Management Supplement Jun 2013.7) Hampton J. Providing cost-effective treatment of hard-to-heal wounds in the community through use of NPWT. Br J Community Nurse. 2015; Suppl Comm (Sup6):S14, S16–20. doi:10.12968/bjcn.2015.20.Sup6.S16-20.8) Hurd, T; Trueman P; Rossington A; Use of a portable, single use negative pressure wound therapy device in home care patients with low to moderately exuding wounds: a case series; Ostomy Wound Management Mar 2014.9) RD18136. Summary of PICO v2 (PICO 7 and PICO 14) Human Factors Testing. December 2018.

Cica-Care

CICA-CARE is designed for temporary use:

In the management of both existing and new hypertrophic scars and keloids and as a prophylactic therapy on healed wounds to help to prevent hypertrophic scarring and keloids

12 x 6cm	SN66250704	Each	\$99.60	2+	\$91.85
12 x 15cm	SN66250706	Each	\$183.45	2+	\$169.25



Mepiform

The effective self-adherent dressing for scar reduction

Topical silicone has empirically been shown to have a positive impact on hypertrophic scars and keloids. It may take from three months up to a year or more to improve an old scar, depending on the condition of the scar tissue. Mepiform should optimally be worn 24 hours a day.

- Can be cut to size
- Minimises pain and trauma at dressing changes
- No extra fixation is needed
- Mepiform is thin, flexible and discreet
- Can be worn in daily activities
- Can be reapplied
- One Mepiform product can be used for several days

4 x 30cm	MOL293100	Box/5	\$188.45*	3+	\$171.85*
5 x 7.5cm	MOL293200	Box/5	\$89.85*	3+	\$81.95*



Mölnlycke®

CONTIPLAN⁺

All in One Continence Care



A complete all in one continence care solution to cleanse, moisturise and protect, in one easy cloth.

- Barrier protection- incorporated dimethicone and liquid paraffin provides long lasting barrier protection
- Cleansing - mild, soap-free cleansing formula
- Moisturising - cream based formula provides added moisture
- Soothing - extracts of chamomile help calm irritated skin
- Hypoallergenic - dermatologically tested with a skin neutral pH



Contiplan All in One Continence Care Wipes

CLDCON8	Pack/8	\$6.60
CLDCON25	Pack/25	\$15.35

Cleanses - Moisturises - Protects



SECURA Barrier Cream D

Skin Protectant

All SECURA Barrier Creams are designed to protect the skin from contact with unhealthy moisture created through perspiration, urine and faeces.

Secura Barrier Cream D contains 5% dimethicone, provides a dual action moisture barrier and moisturiser and can help prevent and protect chafed, chapped, cracked or wind burned skin and lips.

Secura Barrier Cream 28g	SN66800986	Tube	\$9.50	12+	\$8.65
Secura Barrier Cream 92g	SN66800983	Tube	\$26.60	12+	\$24.30



Smith+Nephew

Secura No-Sting

No-Sting Barrier Film

SECURA No Sting Barrier Film is a liquid film-forming skin protectant that minimises stinging. With fast drying times of less than 30 seconds, it will create an effective waterproof barrier for up to 96 hours (4 days).

It may be used to protect intact and damaged skin from irritation due to urinary or faecal incontinence, bodily fluids, adhesive trauma and friction.

Secura No-Sting Barrier Film Spray 28ml					
SN66800710	Bottle	\$27.05*	12+	\$24.75	

Smith+Nephew



Skin-Prep

Protective Barrier Spray and Wipes

A protective dressing which forms a barrier between the patient's skin and adhesives to prevent insult or injury during removal of tapes and films.

Skin-prep Wipes

SN420400	Box/50	\$36.65*	3+	\$33.80*
----------	--------	----------	----	----------

Skin-prep Spray 118ml

SN420200	Can	\$27.40*	12+	\$25.95*
----------	-----	----------	-----	----------



Smith+Nephew

3M Science.
Applied to Life.™

Learn more at
3M.com.au/Cavilon

Realise the potential of proven protection.

3M™ Cavilon™ No Sting Barrier Film



Durable¹ Effective¹ Gentle^{1,2} Versatile² Proven¹



3M Australia Pty Limited, ABN 90 000 100 096, 3M.com.au/Cavilon.

References: 1. 3M Data on file. 2. Campbell K, Woodbury MG, Whittle H, Labate T, Hoskin A. A clinical evaluation of 3M™ Cavilon™ No Sting Barrier Film. Ostomy Wound Management. 2000;46(1):24-30.

3M™ Cavilon™ Durable Barrier Cream

For the prevention of skin breakdown and for moisturising intact skin

A concentrated, therapeutic cream that provides durable long lasting protection from bodily fluids whilst moisturising skin. The unique formula requires less frequent application and less product with each application.

Durable Barrier Cream 28g **3M3391** Tube \$9.65*
Durable barrier cream 92g **3M3392** Tube \$27.20*



See page 335
for more
moisturisers

See page 320 for
adhesive removers

3M™ Cavilon™ No Sting Barrier Film

For protection from moisture, adhesives and friction

With a unique terpolymer formula that delivers exceptional durability and flexibility, Cavilon No Sting Barrier Film is a gentle, effective and CHG-compatible solution for routine skin protection. It can also be used on damaged skin.

No Sting Barrier Film Applicator 1ml

3M3343 Box/25 \$93.30* 2+ \$86.05*

No Sting Barrier Film Wipes 1ml

3M3344E Box/30 \$55.55* 2+ \$51.25*

No Sting Barrier Film Spray 28ml

3M3346 Bottle \$25.70* 2+ \$23.75*

