



# Simplifying the complexities of wound care

We recognise that wounds and the impact they have can be complex, but the solution doesn't have to be.



#### **SUPPORTIVE**

Find out how we can support your wound care practice with our Academy platform.



Talk to us about how our solutions can help you release time to care.

#### **RELIABLE**

Trust us to be there with over 30 years of research and UK manufacturing.



Find out more **activheal**.com





#### **ActivHeal® FOAM NON ADHESIVE**

ActivHeal® Foam Non Adhesive is a versatile dressing developed to offer protection and absorbency on moderate to heavily exuding wounds.



- Good absorption of exudate
- Versatile
- Low friction backing
- Reduces the risk of maceration
- Waterproof and bacterial barrier
- Conformable

Moderate > Heavy Exudate

- Low friction membrane
- Promotes healing through a moist wound environment



#### Indications for use:

ActivHeal® Foam Non Adhesive is indicated for moderate to heavily exuding wounds:

- Abrasions
- Lacerations
- **Post Operative Surgical Wounds**
- Superficial and Partial Thickness Burns
- **Pressure Ulcers**
- Leg Ulcers
- Arterial Leg Ulcers
- Diabetic Ulcers
- **Graft Donor Sites**
- Skin Graft Sites

ActivHeal® Foam Non Adhesive dressings are suitable for use under compression bandaging.



5








5 x 5cm	ADM10009113	I
7.5 x 7.5cm	ADM10009114	I
10 x 10cm	ADM10009115	I
10 x 20cm	ADM10011265	I
20 x 20cm	ADM10009117	I
Heel 18 x 12cm	ADM10010227	I

\$49.60\* \$45.75\* Box/10 \$54.25\* \$58.80\* Box/10 3+ \$77.60\* \$71.60\* Box/10 Box/10 \$110.45\* 3+ \$101.85\* Box/10 \$234.00\* 3+ \$215.85\* **\$117.85**\* 3+ \$106.90\* Box/5

#### **ACTIVHEAL® FOAM ADHESIVE** ABSORBENT, ADHESIVE **DRESSING MANAGES EXUDATE WITH A WATERPROOF AND BACTERIAL BARRIER.** a activheal

#### **ActivHeal® FOAM ADHESIVE**

ActivHeal® Foam Adhesive is a flexible absorbent foam dressing ideal for moderate exuding wounds.



- Versatile
- Reduces the risk of maceration
- Waterproof film
- **Bacterial Barrier**
- Conformable
- Low friction membrane
- Promotes healing through a moist wound environment



#### Indications for use:

ActivHeal® Foam Adhesive is indicated for moderate exuding wounds:

- Abrasions
- Lacerations
- **Post Operative Surgical Wounds**
- Superficial and Partial Thickness Burns
- **Pressure Ulcers**
- Leg Ulcers
- Arterial Leg Ulcers
- **Diabetic Ulcers**
- **Graft Donor Sites**
- **Skin Graft Sites**

ActivHeal® Foam Adhesive dressings are suitable for use under compression bandaging.







www.teammed.com.au









7.5 x 7.5cm	
10 x 10cm	
12.5 x 12.5cm	
15 x 15cm	
20 x 20cm	





ActivHeal® Silicone Foam Lite is a sterile wound dressing that is soft, thin, discreet and conformable to anatomical contours.

- Breathable
- Gentle secure adhesion to the skin
- Can remain in situ for up to 7 days
- Minimises pain at dressing changes
- Perforated wound contact layer
- Minimises maceration and damage to the surrounding skin
- Water resistant and bacterial barrier
- Low friction
- Easy to remove
- Maintains a moist wound environment

#### Indications for use:

ActivHeal® Silicone Foam Lite dressing is indicated for use in the management of non to low exuding, chronic and acute wounds throughout the healing process. The dressing is indicated for use on the following wounds:

- Trauma Wounds, including: Abrasions, Lacerations, Skin Tears and Blisters
- Post Operative Surgical Wounds
- **Skin Tears**
- Superficial and Partial Thickness Burns
- **Pressure Ulcers**
- Leg and Foot Ulcers
- Arterial Leg Ulcers
- Diabetic Ulcers
- Radiation Damaged Skin


ActivHeal® Silicone Foam Lite dressings are suitable for use under compression bandaging.

Nil > Low Exudate









#### ActivHeal® Silicone Foam Lite Border

5 x 5cm	ADM9023687	Box/10	\$35.25*	3+	\$32.50*
5.5 x 12cm	ADM9023694	Box/10	\$67.25*	3+	\$62.05*
7.5 x 7.5cm	ADM9023700	Box/10	\$59.80*	3+	\$55.20*
10 x 10cm	ADM9023717	Box/10	\$89.30*	3+	\$81.65*
15 x 15cm	ADM9023724	Box/10	\$152.90*	3+	\$140.45*

#### ActivHeal® Silicone Foam Lite Non Border

7.5 x 7.5cm	ADM9023755	Box/10	\$56.15*	3+	\$51.80*
10 x 10cm	ADM9023762	Box/10	\$86.95*	3+	\$79.90*
15 x 15cm	ADM9023779	Box/10	\$185.40*	3+	\$170.75*

ActivHeal is a registerd Trademark of Advanced Medical Solutions Limited.



ACTIVHEAL® SILICONE BORDER FOAM





# ActivHeal® SILICONE FOAM









ActivHeal® Silicone Foam dressings have a gentle but secure adhesion with minimal epidermal stripping or pain on removal.

- ✓ Highly conformable
- Excellent absorption of exudate
- Can remain in situ for up to 7 days
- Reducs pain at dressing changes
- ✓ Perforated wound contact layer
- Minimises maceration and damage to the surrounding skin
- ✓ Water and bacterial barrier
- ✓ For moderately to heavily exuding wounds
- Promotes healing through a moist wound environment

# BEST

#### Indications for use:

ActivHeal® Silicone Border and Non-Border Foam dressings are indicated for use on moderately to heavily exuding chronic and acute wounds. The dressing may be used throughout the healing process on:

- Abrasions
- ✓ Post Operative Surgical Wounds
- Superficial and Partial Thickness Burns
- ✓ Pressure Ulcers
- ✓ Venous Lea Ulcers
- ✓ Arterial Leg Ulcers
- ✓ Diabetic Ulcers

ActivHeal® Silicone Foam dressings are suitable for use under compression bandaging.

Moderate > Heavy Exudate





#### ActivHeal® Silicone Foam Border

7.5 x 7.5cm	ADM9001470	Box/10	\$58.50*	3+	\$53.95*
10 x 10cm	ADM9001487	Box/10	\$86.85*	3+	\$80.10*
12.5 x 12.5cm	ADM9001494	Box/10	\$120.45*	3+	\$111.10*
10 x 20cm	ADM9001500	Box/10	\$153.65*	3+	\$141.70*
15 x 15cm	ADM9001517	Box/10	\$147.05*	3+	\$135.60*
20 x 20cm	ADM9001524	Box/10	\$205.40*	3+	\$189.45*
Sacral	ADM9001531	Box/10	\$233.65*	3+	\$215.55*

#### ActivHeal® Silicone Foam Non Border

HIPPORT CVS BR

5 x 5cm	ADM9001548	Box/10	\$66.00*	3+	\$60.90*
7.5 x 7.5cm	ADM9001555	Box/10	\$79.50*	3+	\$73.30*
10 x 10cm	ADM9001562	Box/10	\$92.30*	3+	\$85.15*
10 x 20cm	ADM9001579	Box/10	\$166.95*	3+	\$154.00*
15 x 15cm	ADM9001449	Box/10	\$198.60*	3+	\$180.15*
20 x 20cm	ADM9001586	Box/10	\$239.40*	3+	\$224.45*

ActivHeal is a registerd Trademark of Advanced Medical Solutions Limited.

# Give your patients the confidence to heal

The ALLEVYN Gentle Border Range combines ALLEVYN's active fluid management technology with silicone and soft gel adhesives.

- Minimal pain for patients with fragile or sensitive skin<sup>1</sup>
- Minimal trauma to the wound and surrounding skin<sup>1</sup>
- Also available with silver to help reduce the risk of infection in high risk wounds
- Conformable, has a multi-way stretch and can be cut making it ideal to dress awkward areas
- Up to 7 days wear time<sup>2</sup>

### **Smith**Nephew



**GENTLE BORDER** Foam Dressing

Code		
ALLEVYN Gentle	e Border	
66800269	7.5cm x 7.5cm	Box/10
66800270	10cm x 10cm	Box/10
66800900	10cm x 20cm	Box/10
66800264	10cm x 25cm	Box/10
66800265	10cm x 30cm	Box/10
66800272	12.5cm x 12.5cm	Box/10
66800273	17.5cm x 17.5cm	Box/10
ALLEVYN Gentle	e Border Heel	
66800506	23cm x 23.2cm	Box/5
ALLEVYN Gentle	e Border Multisite	
66800959	17.1cm x 17.9cm	Box/10
ALLEVYN Gentle	e Border Sacrum	
66800898	16.8cm x 17.1cm	Box/10
ALLEVYN Gentle	e Border Lite	
66800833	5cm x 5cm Square	Box/10
66800836	5.5cm x 12cm Rectangle	Box/10
66801013	8.6cm x 7.7cm Oval	Box/10
66801041	8cm x 8.4cm Multisite	Box/10

UK, 2009; 5(3):32-44. **2.** Volunteer Trial Report Reference VTR/HVT 050. Results from an open, prospective, randomised, within volunteer comparison of Dakota and Mepilex Border. Palmer S and Smith G. December 2008.

Smith & Nephew Pty Ltd (Australia) www.smith-nephew.com/australia. Smith & Nephew Ltd (New Zealand) www.smith-nephew.com/new-zealand. Trademark of Smith+Nephew. All trademarks acknowledged. SN14843 V1 03/20. For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.







#### **Allevyn Gentle Border**

Allevyn Gentle dressing has an advanced triple-layer construction which combines an absorbent hydrocellular pad sandwiched between a perforated Soft Gel wound contact layer and a highly permeable waterproof outer film.

- Extra care for fragile skin
- Silicone gel adhesive ensures minimal pain upon removal
- Secures dressing in place for up to 7 days depending on amount of exudate
- Use under retention or compression bandages

#### **Allevyn Gentle Border**

Indications: For use on frail skin and wounds with moderate to high levels of exudate, such as skin tears.

7.5 x 7.5cm	SN66800269	Box/10	\$103.70*	3+	\$95.50*
10 x 10cm	SN66800270	Box/10	\$143.10*	3+	\$131.85*
12.5 x 12.5cm	SN66800272	Box/10	\$178.90*	3+	\$164.80*
17 x 17.5cm	SN66800273	Box/10	\$335.55*	2+	\$307.95*





#### **Allevyn Gentle Border Multisite**

Indications: Low to moderate exudating wounds

17.1 x 17.9cm SN66800959

Box/10 \$262.70\* 3+ \$244.45\*

The unique tri-lobe design is ideal for use on awkward body areas such as the knee and elbow. Easy to apply and remove; can be repositioned easily without losing its adherent properties.





#### Allevyn Gentle Border Heel

23 x 23.2cm SN66800506

Box/5 \$189.80\*



#### Allevyn Gentle Border Sacrum

**16.8 x 17.1cm** SN66800898

Box/10 \$180.30\*



#### **Allevyn Gentle Border Lite**

ALLEVYN Gentle Border Lite dressings are indicated for use on low to moderately exuding.

- Extra care for fragile skin
- Silicone gel adhesive ensures minimal pain upon removal
- Secures dressing in place for up to 7 days depending on amount of exudate

5 x 5cm square	SN66800833 Box/10	\$43.55*	3+	\$37.95*
5.5 x 12cm rectangle	SN66800836 Box/10	\$48.00*	3+	\$44.15*
8.6 x 7.7cm oval	SN66801013 Box/10	\$63.90*	3+	\$58.40*
8 x 8 4cm multisite (nad size 5.8 x 5.4cm)	SN66801041 Rox/10	\$82.25*	3+	\$75.80*















### **Exudate management - Advanced Foam dressings**

The ALLEVYN range of dressings from Smith & Nephew is a comprehensive range of absorbent foam dressings. Trusted with over 25 years of clinical use, the ALLEVYN Range has a history of innovation and putting people first, with a true understanding of the human body and the experience of living with a wound.

#### **Allevyn Classic**

#### Allevyn Non-Adhesive

The polyurethane wound contact layer prevents sticking to a full range of wound types; especially suitable for fragile skin.

- Fast fluid absorption and superior breathability
- Non adhesive wound contact layer
- Waterproof outer film layer
- Sealed and shaped edges reduce leakage
- Full range of sizes

#### **Allevyn Adhesive**

- Dynamic breathable top film
- Faster fluid removal and increased breathability
- Optimises a moist wound environment: faster healing of the wound
- Reduced risk of maceration
- Comfortable, convenient and cost effective
- Dressing for moderate to highly exuding wounds for up to seven days

Indications: Venous, arterial and diabetic foot ulcers, pressure ulcers and chronic wounds.









Allevyn Non-Adhesive Allevyn Non-Adhesive	5 x 5cm 10 x 10cm	SN66007643 SN66007637	Box/10	\$110.50* \$173.60*	3+ 3+	\$101.80* \$159.90*	
Allevyn Adhesive	7.5 x 7.5cm	SN66000043	Box/10	\$105.30*	3+	\$97.00*	
Allevyn Adhesive	10 x 10cm	SN66000599	Box/10	\$145.05*	3+	\$133.60*	
Allevyn Adhesive	12.5 x 12.5cm	SN66000044	Box/10	\$181.75*	3+	\$167.45*	
Allevyn Heel	10.5 x 13.5cm	SN66007630	Box/5	\$164.40*	3+	\$151.45*	
Allevyn Sacrum	17 x 17cm	SN66000700	Box/10	\$188.55*	3+	\$176.75*	
Allevyn Sacrum	22 x 22cm	SN66000451	Box/10	\$327.20*	3+	\$306.85*	





**SmithNephew** 

#### Allevyn LIFE

ALLEVYN Life dressing is a multi-layered design incorporating hydrocellular foam, hyper-absorber lock away core and masking layer which has been designed for people and their everyday life through:

- Unique quadrilobe shape with a wide border designed to fit the contours of the human body
- Allows patients to shower
- Protective masking layer minimises the visual impact of strikethrough
- Excellent fluid locking under pressure
- Provides the patient with peace of mind leakage prevention
- The multi-layered design provides cushioning and helps to spread pressure
- Silicone wound contact layer offers minimal pain and discomfort on removal
- Change indicator optimises dressing change frequency



#### Designed for people. Designed for life

Small	10.3 x 10.3cm	SN66801067	Box/10	\$106.40*	3+	\$98.00*	Do you normally use	7.5 x 7.5cm
Medium	12.9 x 12.9cm	SN66801068	Box/10	\$146.85*	3+	\$135.25*	Allevyn Gentle border? The following sizes	10 x 10cm
Large	15.4 x 15.4cm	SN66801069	Box/10	\$183.55*	3+	\$169.10*	would compare:	12.5 x 12.5cm

#### **Allevyn Thin**

#### Adhesive Dressing for Moderately Exuding Wounds

Allevyn Thin is a highly conformable, semi-permeable, semi-translucent wound dressing.

- Maintains a moist wound environment
- Waterproof and bacteria proof
- Permeable to oxygen and water vapour

Indications: Low to moderate exudating wounds

5 x 6cm	SN66047576	Box/10	\$82.65*	3+	\$76.15*
10 x 10cm	SN66047578	Box/5	\$81.40*	3+	\$74.40*

ALLEVYN° THIN





For complete listings of Smith & Nephew products, treatment options, education and event calendar Visit https://www.smith-nephew.com/australia/healthcare/products/



#### **Smith**Nephew

#### **Meet our Team: Sammy**

Sammy has been with Team Medical for 6 years now. She started out in the warehouse before moving into a more flexible casual position to allow time for her to pursue her university studies in Biology. She is invaluable in taking on work to assist both our purchasing and marketing teams. Sammy loves the teamwork aspect of Team Medical, and she is eager to chip in and help the team however she can. She is hard-working, dependable and always down for some fun.

When she's not at work or studies, Sammy loves to unwind playing video games, listening to Taylor Swift, watching anime or going to the gym to pump some serious iron.

Favourite films? I do enjoy every Disney film and I'm a bit of a Star Wars nerd, but my all-time favourite movie is Jurassic Park- who doesn't resonate with dinosaurs, they're super cool!







#### **3M<sup>™</sup> Tegaderm<sup>™</sup> Foam Adhesive**

**High Performance Foam Adhesive Dressing** 

Highly absorbent, breathable, wound dressing.

Designed to allow easy one handed application to difficult body contours, including heel and elbows without the need for cutting. Indicated as a primary dressing for low to highly exuding, partial of full thickness dermal wounds.

May also be used as a secondary dressing.







#### **Tegaderm Foam Adhesive**

6.9 x 7.6cm	Pad Size 3.1 x 3.8cm	Mini Oval	3M90614	Box/10	\$61.75*	2+	\$58.70*
8.8 x 8.8cm	Pad Size 5 x 5cm	Square	3M90610	Box/10	\$77.60*	2+	\$73.85*
10 x 11cm	Pad Size 6 x 7.6cm	Oval	3M90611	Box/10	\$84.75*	2+	\$75.95*
14.3 x 14.3cm	Pad Size 10 x 10cm	Square	3M90612	Box/10	\$129.35*	2+	\$120.75*
14.3 x 15.6cm	Pad Size 10 x 11cm	Oval	3M90613	Box/5	\$66.80*	2+	\$60.90*
14 x 14cm	Pad Size 7.6 x 7.6cm	Circular heel/Elbow	3M90619	Box/5	\$79.20*	2+	\$75.25*

#### WE ARE A BUSINESS FOR GOOD

To celebrate 3-years of hard work and commitment to Team Medical, Erin T. from customer service made her B1G1 donation to support an early childhood development program in South Africa. This enabled her to provide 10 days of development to help disadvantaged children. Many children born into disadvantaged backgrounds do not have access to learning centres that stimulate learning.

Learn more about our giving impacts at www.teammed.com.au/esg-giving-back







#### Meet Our Team: Caitlin

Caitlin is the core engine of our marketing team. Working with our key suppliers and creating great promotions. Making sure our customers are in the loop with the latest products, special offers and business updates.

A big fan of Rugby League, Caitlin's favourite teams are the Sydney Roosters, NSW and the Wynnum-Manly Seagulls. Caitlin loves to unwind by reading a good book or spending time out-and-about with friends and family.

What was the last concert/live event you went to? Tina Turner the Musical - I saw it on a Work Trip to Sydney and I'm hoping to see it again when it comes to Brisbane later in the year.

#### What is your favourite food?

Does coffee count? If i have to pick an actual food it would be too hard to choose between sashimi and ice cream.





#### **Aquacel Foam**

The only FOAM that has it all - comfort, simplicity and the healing benefits of an AQUACEL contact layer.

- Protective Water Proof/Bacteria Barrier provides evaporation of excess moisture; allows patient to shower and bathe
- Soft Absorbent FOAM pad enhances patient comfort and absorbs excess fluid
- AQUACEL contact layer gels on contact with wound exudate to maintain a moist environment
- Gentle silicone adhesive designed to adhere to surrounding skin, not to the wound bed



#### **Aquacel Foam Non-Adhesive**

5 x 5cm	CON420631	Box/10	\$55.10*	2+	\$50.65*	8 x 8cm	CON420804	Box/10	§60.15*	2+
10 x 10cm	CON420633	Box/10	\$94.15*	2+	\$83.20*	10 x 10cm	CON420680	Box/10	\$90.20*	2+
15 x 15cm	CON420635	Box/5	\$100.95*	2+	\$92.05*	12.5 x 12.5cm	CON420619	Box/10	\$91.80*	2+

Aquacel Foam Adhesive

#### Foam Lite<sup>™</sup> ConvaTec

Foam Lite™ ConvaTec dressings are intended for the management of a wide range of low to non exuding wounds.

Designed specifically for the management of low to non-exuding chronic and acute wounds. FoamLite ConvaTec dressing is a thin foam dressing with a breathable film and perforated, gentle skin friendly silicone adhesive. It is flexible and conforms to the body even in awkward positions.



8 x 8cm	CON421557	Box/10	\$76.60*	3+	§74.65*
10 x 10cm	CON421559	Box/10	\$102.50*	3+	\$99.95*
15 x 15cm	CON421561	Box/10	\$209.75*	3+	\$200.15*
5.5 x 12cm	CON421563	Box/10	\$83.70*	3+	\$81.60*





\$53.15\* \$79.75\* \$84.40\*





#### **Biatain®**

#### **Conformable Polyurethane Foam Dressing**

- Soft and conformable polyurethane foam dressing that effectively absorbs and retains wound exudate
- Ensuring a moisture balance that is optimal for healing of exuding wounds
- When in contact with exudate the unique 3D foam structure of Biatain conforms closely to the wound bed even under compression
- Superior absorption and retention of exudate minimises risk of maceration and leakage
- Can be worn up to 7 days



Superior absorption for wounds with extra fragile skin

5 x 7cm	COL6105	Box/10	\$95.10*	2+	\$86.05*	Biatain Adhesive
10 x 10cm	COL3410	Box/10	\$129.80*	2+	\$117.45*	Soft and conformable polyurethane foam dressing with a hydrocolloid adhesive borde
15 x 15cm	COL3413	Box/5	\$119.50*	2+	\$107.25*	<b>7.5 x 7.5cm</b> COL3462 Box/10 \$85.70* 2+ \$77.55*
10 x 20cm	COL3412	Box/5	\$156.50*	2+	\$140.50*	12.5 x 12.5cm COL3420 Box/10 \$143.55* 2+ \$129.70*







## **Mepilex**<sup>®</sup>



Mepilex® is a foam dressing suitable for a wide range of exuding wounds, such as venous leg ulcers or diabetic ulcers.

- Minimises pain and trauma at dressing changes using Safetac® technology<sup>1</sup>
- Minimises the risk of maceration<sup>2</sup>
- Can be cut to fit making it ideal for difficult-to-dress areas
- Soft and conformable
- Requires secondary fixation, such as Tubifast®

10 x 10cm	MOL294100	Box/5	\$49.25*	3+	\$44.50*
10 x 20cm	MOL294200	Box/5	\$97.70*	3+	\$87.65*



# Mepilex<sup>®</sup> Lite



Mepilex® Lite is a thin foam dressing for low-exuding acute and chronic wounds.

- Minimises pain and trauma at dressing changes using Safetac® technology
- Minimises the risk of maceration<sup>3</sup>
- Very soft and conformable suitable for areas requiring protection of compromised and/or fragile skin
- Clinically proven to significantly reduce the severity of skin reactions from radiotherapy treatment
- Requires secondary fixation, such as Tubifast®

6 x 8.5cm	MOL284000	Box/5	\$29.70*	3+	\$27.45*
10 x 10cm	MOL284100	Box/5	\$44.60*	3+	\$41.15*
15 x 15cm	MOL284300	Box/5	\$112.75*	3+	\$104.95*



# Mepilex<sup>®</sup> XT



Mepilex® XT's low and high viscosity fluid-management properties can be used on exuding wounds at all stages of wound healing.

- Exudate channels designed to handle thick exudate
- Minimises pain and trauma at dressing changes using Safetac® technology<sup>1</sup>
- Handles more fluid than other foam dressings\*
- Absorbs fluid faster than other foam dressings'
- Effective on exuding wounds at any wound healing stage
- Requires fewer dressing changes compared to other foam dressings

5 x 5cm	MOL211015	Box/5	\$40.40*	3+	\$37.80*
10 x 10cm	MOL211100	Box/5	\$51.00*	3+	\$47.95*

\*For reference data please visit www.molnlycke.com.au





# Mepilex® Heel / Mepilex® Border Heel



Mepilex® Heel / Mepilex® Border Heel are shaped foam dressings, designed for heels and typically used for the treatment and prevention of pressure injuries.

- Minimises pain and trauma at dressing changes using Safetac® technology
- Minimises the risk of maceration
- Effective exudate management

Mepilex® Heel 13 x 20cm MOL288100 \$127.35\* Box/5 Mepilex® Border Heel 22 x 23cm \$146.30\* MOL282750 Box/6





References 1, White R. A Multinational survey of the assessment of pain when removing dressings. Wounds UK, 2008. 2, Dykes PJ et al. Effect of adhesive dressings on the stratum corneum of the skin. Journal of Wound Care, 2001. 3. Wiberg A.B. et al. Preventing maceration with a soft silicone dressing: in-vitro evaluations. Poster presented at the 3rd Congress of the WUWHS, Toronto, Canada, 2008. \*For reference data please visit www.molnlycke.com.au







( High exudate level



# Mepilex® Border Flex

#### Absorbent self-adherent foam dressing with 360 stretch Flex Technology

- Proprietary Flex Technology creates great conformability
- A dressing that moves with the patient and stays on even in the shower
- Safetac® technology means less pain and damage during dressing changes1
- The five-layer dressing absorbs, channels and traps exudate and allows you to track exudate progress
- Keeps exudate away from the wound bed and prevents re-entry, even under compression

You can use Mepilex® Border Flex to treat a wide range of exuding chronic and acute wounds, such as diabetic foot ulcers, venous leg ulcers, pressure injuries, skin tears and traumatic wounds. Mepilex® Border Flex is now also available in oval shape because wounds are not square and at times a special shape might be just what you need for that secure fixation.







#### Square

7.5 x 7.5cm	MOL595211	Box/10	\$72.35*	2+	\$65.40*						
10 x 10cm	MOL595311	Box/10	\$103.15*	2+	\$93.25*	Oval					
12.5 x 12.5cm	MOL595011	Box/10	\$138.80*	2+	\$125.45*	7.8 x 10cm	MOL583500	Box/5	\$58.40*	2+	\$52.80*
15 x 15cm	MOL595411	Box/10	\$204.55*	2+	\$184.90*	13 x 16cm	MOL583300	Box/5	\$93.25*	2+	\$83.65*
15 x 20cm	MOL595611	Box/10	\$267.65*	2+	\$241.95*	15 x 19cm	MOL583400	Box/5	\$129.65*	2+	\$116.35*

# Mepilex® Border Flex Lite



#### Thin absorbent self-adherent foam dressing with 360 stretch Flex Technology

- Minimises pain and trauma at dressing changes using Safetac® technology
- Very thin and discrete to allow patients to live a normal life
- Thin and conformable to dress wounds on feet and toes, hands and fingers
- Showerproof with a film backing providing a barrier to virus and bacteria (of size >25nm)

4 x 5cm	MOL581011	Box/10	\$45.65*	3+	\$42.15*
5 x 12.5cm	MOL581100	Box/5	\$38.85*	3+	\$35.90*
7.5 x 7.5cm	MOL581200	Box/5	\$32.50*	3+	\$30.00*
10 x 10cm	MOL581300	Box/5	\$50.75*	3+	\$46.85*
15 x 15cm	MOL581500	Box/5	\$106.60*	3+	\$99.25*





# Lyofoam® Max

#### Polyurethane foam dressing

Designed for the management of moderate to heavily exuding wounds, such as leg ulcers and pressure injuries.







#### Cutimed® Debriclean


Fast and effective wound debridement

\$130.55

Thorough wound cleansing is the foundation for successful wound healing. Cutimed DebriClean efficiently sets the stage for the wound healing process with its unique and innovative design. Thanks to its combination of gentle looped monofilament fibers and abrasive fibers, bacteria is absorbed and firm slough removed, making Cutimed DebriClean suitable for any wound cleansing challenge.

**essity** 








Box/5









#### Visit our website to watch the product video

# **Choose Cutimed® DebriClean for** fast and effective wound cleansing

#### Debrisoft® Monofilament fibre Pad and Lolly

Wound bed preparation - fast, easy, virtually painless.

Debrisoft is intended for rapid and effective debridement of wounds. Debrisoft removes bacteria, dead tissue and exudate during debridement.

Debrisoft is an easy, effective and virtually painless method of debridement that produces rapidly visible results which speak for themselves.

**Before** debridement







After debridement

with Debrisoft





Wound bed preparation is an integral part of every dressing change. Selecting the correct cleansing method is therefore critical for patient acceptance and the success of the treatment.

With Debrisoft you protect newly formed granulation tissue and new epithelial cell growth.



#### **Debrisoft Pad**

For shallow wounds and accessible areas of the skin

10 x 10cm LOH33223

\$128.30 Box/5 \$125.10



#### **Debrisoft Lolly**

For hard-to-reach areas e.g. cavity wounds, between digits and skin folds

160mm x 19mm LOH33224 (lolly head = 50 mm x 19 mm)

\$146.90 Box/5 \$141.60



Debrisoft enables quick1 wound bed preparation

Debrisoft is easy<sup>1</sup> to use with all common wound rinsing solutions Patients perceived low pain during debridement

1 Haemmerle, G., Duelli, H., Abel, M., Strohal, R. (2011), "The wound debrider: a new monofilament fibre technology", British Journal of Nursing, TV Supplement Vol.20(6) March







HARTMAN

#### **HydroClean®**

#### **Wound Debridement Dressing**

HydroClean® is a non-medicated wound dressing for debridement and wound bed preparation. Suitable for wet/moist treatment of wounds, in particular wounds with impaired healing tendency.

HydroClean is especially suitable for the treatment of chronic and poorly healing wounds during the cleansing and granulation stage.

- Unique rinsing absorption mechanism
- Up to 3 day wear time
- Excellent cleansing and debriding effect

#### **HydroClean**

HydroClean will require a secondary dressing and retention tape or bandage.

5.5cm Round HTM609606 Box/10 \$229.00 7.5 x 7.5cm HTM609293 Box/10 \$382.95

#### **HydroClean Cavity**

HydroClean plus Cavity will require a secondary dressing and retention tape or bandage.

\$131.75 4cm Round HTM609622 Box/10 7.5 x 7.5cm \$295.60 HTM609628 Box/10





#### **BLASTX Antimicrobial Wound Hydrogel**

#### A wound management innovation that combines antimicrobial effect with moist wound properties and is conducive to fast healing

BLASTX employs XBIO technology with a combination of ingredients acting as a chelating agent, buffer and moisture protectant. This destroys bacteria within the gel, defends against bacterial reinfection and maintains a moist wound healing environment. The antimicrobial properties of BLASTX Antimicrobial Wound Hydrogel inhibit the growth of microorganisms within the gel.

- Promotes moist healing
- Prevents re-infection
- Kills 99.99% of germs
- **Deconstructs Biofilm**

i oraderm	
P S Antimicrobial Biofilm Wound Gel	Antimicrobial Biofilm Wound Gel
	Powered by XBIO™ technology
	30 mL

뿣 oraderm

7.5 ml	BLX7006691	EACH	\$29.15
7.5 ml	BLX7006692	Box/12	\$272.00
7.5 ml	BLX7006693	Box/40	\$861.40



#### **Prontosan**

Only a clean wound can heal. Experience the Prontosan® Effect.






Traditional irrigation solutions superficially wet wound



Irrigation/Soak with Prontosan® penetrates and cleanses prior to wound dressing



Drop Comparison (surface tension)

Broad "therapeutic range"

Product can be warmed

Practical application

Maintain optimal wound moisture

Compatible with common wound dressings

#### **Contains two main** working ingredients:

Betaine (Surfactant): A gentle wound surfactant that penetrates and cleanses contaminants from the wound

Polyhexanide (PHMB): A preservative, also known for its antimicrobial properties to reduce hacteria.

Prontosan

BBRAUN

# The Role of Wound Cleansing in Wound Bed

One of the most important principles of proper wound bed preparation is certainly wound cleansing, as only a clean wound can heal rapidly and without complications.

Avital tissue such as necrosis and fibrin coating, detritus and a high bacterial load can considerably affect wound healing, resulting in stagnation of the wound healing process.

can take several months, and therefore highly effective, gentle and patient-friendly wound cleansing is of great significance. Particular cleansing agent.

- Fistulas & Abscesses
- Use with negative pressure therapy
- FB Wounds

# **Preparation**

It must be remembered that the treatment of a chronic wound attention should therefore be given to the choice of wound

#### Prontosan® especially designed for: Chronic wounds

- Post-radiation wounds
- Acute wounds

#### 1st & 2nd degree burns

#### **Prontosan Wound Irrigation Solution**

\$181.80\* 40ml Ampoule BN400412 Box/30 \$33.00\* 350ml Bottle BN400403 Each

#### Lasts up to 8 weeks once opened.

(Excluding single use 40ml solution)



#### **Prontosan Wound Gel**

After Prontosan® soak and rinse (see above), you can apply Prontosan® Wound Gel to the wound for further debridement and prolonged cleansing for up to 3 days.

The gel for acute, chronic and burn wounds.

- Reduces healing time
- Removes and prevents biofilm
- Prevents infections
- Facilitates painless dressing changes
- Is compatible with commonly used wound dressings

30ml Bottle BN400510 Each







**Important Criteria for a Suitable Wound Cleansing Agent** 

Increase in quality of life (elimination of wound pain and odour)

Rapid and gentle elimination of the "bioburden" (avital tissue)

Efficient removal of the "bacterial burden" or biofilm

Control and prevent infection in Acute and Chronic wounds with one solution. Cleanse, Debride, Irrigate and Moisten with Microdacyn®.

#### **Wounds Not Healing?**

Have you considered adding Microdacyn® to your Wound Care Tool Kit? Microdacyn<sup>®</sup> is clinically proven to heal wounds faster.1

With this breakthrough technology now you can control and prevent infection with one solution.

#### Cleanse, debride and protect wounds with Microdacyn®.

Microdacyn® is a pH Neutral - Super-Oxidised Solution for first-line treatment of Acute and Chronic wounds including burns.

- Broad-spectrum antimicrobial
- Ready-to-use, pH neutral solution
- Rapidly penetrates biofilm killing formations from within
- Does not promote bacterial resistance<sup>2</sup>
- Non-cytotoxic, preventing harm to delicate cells
- Compatible with most dressings including Ag dressings
- Revolutionary alternative to PHMB, Povodine Iodine and Sodium Chloride Solutions



#### Microdacyn

60g Hydrogel	TFMDHG60	\$21.90
120ml Spray	TFMDW120	\$21.30
250ml Spray	TFMDWC250	\$29.55
500ml Bottle	TFMDWC500	\$38.40
990ml Bottle	TFMIWT990	\$75.20

>99.99%

Microdacyn<sup>®</sup> is proven >99.99% effective against Bacteria (incl MRSA), Fungi, Viruses, Spores and **Uniquely Penetrates Biofilm.**<sup>2,5</sup>

#### **Usage and Compatibility**

#### Microdacyn® can be used on:

- Skin
- Mucosa
- Ligament, joints, bones & tendons
- Cartilage & peritoneal cavity
- Sensitive areas such as the face
- Children

#### Microdacyn<sup>®</sup> is compatible with:

- All wound dressings including silver(Ag)
- Leaving soaked gauze in the wound
- Wound irrigation
- **Under occlusion**
- Insertion sites/catheters





Visit our website to learn more about this innovative Wound Care Product.



#### What do you currently use to cleanse, irrigate and debride wounds?

Microdacyn<sup>®</sup> has been proven to:

- Heal wounds faster than those treated with Povidine-Iodine solutions<sup>3</sup>
- Have better control of bacterial load in chronic wounds than PHMB and Saline solutions<sup>4</sup>
- Rapidly penetrates biofilms killing microbes from within<sup>5</sup>

References: 1. Kramer 2018 Journal of Skin Physiology & Pharmacology Consensus on Wound Antisepsis 2018, 2. Swanson et al (IWII 2016), 3. Landa-Solis et al 2005, 4. Piaggesi al - International Journal of Lower Extremity Wounds 2010, 5. Assadin et al - Journal of Wound Care 2018.



# SIMPLIFYING THE COMPLEXITIES OF WOUND CARE.





# TIME TO THINK POSITIVELY ABOUT INFECTED WOUNDS

INTRODUCING ACTIVHEAL® AQUAFIBER AG

ACTIVHEAL AQUAFIBER® AG INDICATED FOR THE MANAGEMENT OF INFECTED WOUNDS OR WOUNDS THAT ARE AT RISK OF INFECTION.

HIGH SILVER CONTENT



FAST INITIAL ELUTION



SUSTAINED SILVER REALEASE

000

HIGH WET STRENGTH



activheal.com








#### **ActivHeal® AQUAFIBER AG**

ActivHeal Aquafiber® Ag is a high gelling antimicrobial wound dressing that has the ability to absorb high levels of exudate whilst maintaining a moist wound environment. The addition of silver ions results in a dual purpose dressing that is proven to be effective at exudate management, as well as being effective in eradicating a broad spectrum of microorganisms including antibiotic resistant strains such as MRSA, MRSE and VRE.

Ideal for moderate to heavily exuding wounds:

- Post operative wounds
- Trauma wounds (dermal lesions, trauma injuries or incisions)
- Leg ulcers
- Pressure ulcers
- Diabetic ulcers
- Partial and full thickness burns
- Cavity wounds

2.7 x 32cm	ADM9023281	Box/5	\$231.40*	2+	\$199.75*
5 x 5cm	ADM9023236	Box/10	\$188.40*	2+	\$168.10*
10 x 10cm	ADM9023243	Box/10	\$251.50*	2+	\$230.20*
10 x 12cm	ADM9025476	Box/10	\$293.55*	2+	\$272.85*
15 x 15cm	ADM9023267	Box/5	\$251.20*	2+	\$230.00*
20 x 30cm	ADM9023274	Box/5	\$293.25*	2+	\$272.70





#### **Durafiber AG**

#### Absorbent gelling fibre dressing, with silver

All the benefits of DURAFIBER with the added benefit of ionic silver. DURAFIBER AG dressings provide antimicrobial activity against a broad spectrum of common wound pathogens which may help to reduce bacterial bioburden and the risk of infection.



# Smith-Nephew



5 x 5cm	SN66800578	Box/10	<sup>\$</sup> 183.90*	2+	\$169.65*
10 x 10cm	SN66800579	Box/10	\$318.55*	2+	\$290.50*

Indications: As an absorbent dressing, gelling dressing for the management of chronic and acute, full thickness, partial thickness, or shallow granulating exuding wounds

#### **Aquacel Ag**

#### **Hydrofiber Dressing with Silver**

Aquacel Ag dressing with ionic silver provides rapid, effective, sustained antimicrobial activity. A versatile dressing for moderately-to highly-exuding chronic and acute wounds that are infected or at risk of infection

5 x 5cm	CON403706	Box/10	\$221.00*	2+	\$195.30*
2 x 45cm rope	CON403771	Box/5	\$342.10*	2+	\$302.35*





#### Exufiber® Ag+

Transfers efficiently. Removes cleanly. Prevents biofilm reformation.

- Exufiber Ag+ is a non-woven polyvinyl alcohol fiber dressing that transforms into a gel upon contact with exudate healing it to softly conform to the wound bed.
- The tightly packed fibers keep exudate locked in, while the capillary action enables transfer of exudate to the secondary dressing.
- Exufiber Ag+ promotes autolytic derbridement and easily removes in one piece, to support a clean
- In contact with liquid, Exufiber Ag+ releases silver ions and inactivates a variety of wound-related pathogens, such as bacteria, fungi and moulds
- By reducing the number of microorganisms, Exufiber Ag+ can prevent the formation of biofilm

Intended use: Exufiber Ag+ is intended to be used on medium to highly exuding wounds, such as venous leg ulcers, diabetic ulcers and pressure injuries.

5 x 5cm MOL603401 \$154.55 Box/10 10 x 10cm MOL603402 Box/10 \$325.10



# Mepilex<sup>®</sup> Ag

#### Antimicrobial foam dressing with Safetac® technology.

- Minimises pain and trauma at dressing changes using Safetac® technology
- Soft and comfortable wound contact layer
- Seals wound edges preventing leakage and minimising the risk of maceration
- Inactivates wound related pathogens within 30 minutes with a sustained effect for up to seven days\*
- Requires retention, such as Tubifast®

10 x 10cm MOL287110 \$164.60\* \$148.80\* Box/5 10 x 20cm MOL287210 \$295.90\* \$269.65\* Rox/5



# Mepilex® Border Ag

#### Antimicrobial absorbent self-adherent dressing with Safetac® technology.

- Minimises pain and trauma at dressing changes using Safetac® technology
- Antimicrobial all-in-one foam that effectively absorbs and retains exudate
- Seals wound edges preventing leakage and minimising the risk of maceration
- Inactivates wound related pathogens within 30 minutes with a sustained effect for up to 7 days\*
- Showerproof with a film backing providing a barrier to virus and bacteria (of size >25mm)

7.5 x 7.5cm \$115.00\* \$103.95\* MOL395200 Box/5 10 x 10cm MOL395300 \$176.80\* \$159.80\* Box/5



#### JOIN THE TEAM MEDICAL FAMILY TO ACCESS YOUR SHOP, YOUR PRICES, YOUR ORDER **HISTORY, AND EXCLUSIVE OFFERS!**







15,000 products



Industry leading online ordering system



Highly experienced



Multiple regional



Fast & reliable



Medium exudate level

High exudate level

Competitive pricing on quality products

OPEN AN ACCOUNT TODAY - HEAD TO WWW.TEAMMED.COM.AU/REGISTER







#### Allevyn AG **Smith**Nephew

#### Effective exudate management and effective antimicrobial action in one dressing

Allevyn AG is an absorbent antimicrobial three layer dressing consisting of:

An SSD (Silver Sulfadiazine) containing absorbent hydrocellular pad sandwiched between a perforated non adherent wound contact layer and a waterproof outer film.

- Highly effective
- Reduces bacterial load to eliminate barriers to healing
- Long lasting
- Sustained antimicrobial activity for up to 7 days
- **Broad spectrum**
- Reliable protection





# Allevyn AG Gentle Border

7.5 x 7.5cm	SN66800460	Box/10	\$166.70*	3+	\$153.55*
10 x 10cm	SN66800461	Box/10	\$249.40*	3+	\$229.75*



#### Allevyn AG Non-Adhesive

5 x 5cm	SN66800083	Box/10	\$173.95*	3+	§160.25*
10 x 10cm	SN66800086	Box/10	\$284.85*	3+	\$262.40*

#### Allourus AC Adhaaissa

Allevyn AG Adnesive					
7.5 x 7.5cm	SN66800073	Box/10	\$168.30*	3+	\$155.05*
10 x 10cm	SN66800075	Box/10	\$254.35*	3+	\$234.30*
12.5 x 12.5cm	SN66800078	Box/10	\$304.45*	3+	\$283.25*



#### Atrauman® Ag

Silver wound contact layer

Atrauman Ag is a non-adherent silver-containing contact layer suitable for the treatment of chronic wounds such as leg ulcers, diabetic leg ulcers, and pressure ulcers/injuries.

Atrauman Ag is also suitable for the treatment of acute burns up to partial thickness

5 x 5cm HTM4995716 Box/10 \$111.40\* 10 x 10cm HTM4995736 Box/10 \$236.10\* 10 x 20cm HTM4995756 Box/10 \$321.80\*













#### Biatain® AG Non-Adhesive

#### **Conformable Polyurethane Foam Dressing**

- Soft and conformable silver foam dressing that is proven to help infected wounds heal faster
- Effective on bacteria commonly found in infected non-healing wound
- Continuous anti-bacterial effect during entire wear time
- Due to the sustained silver release profile there is a continuous anti-bacterial effect during entire wear time (up to 7 days)
- Patented with a silver complex with broad anti-bacteria profile

5 x 7cm	COL5105	Box/5	\$130.50*	2+	\$117.15
10 x 10cm	COL9622	Box/5	\$223.40*	2+	\$198.85°





#### **GET ONLINE WITH US**

Some of our customers' favourite features include:

- Automatically saved cart cart never empties
- Intuitive ordering stops you from over ordering
- View and track your previous orders



#### Find us online at www.teammed.com.au

Get started today. Scan the QR Code.



**Coloplast** 

#### **Acticoat**

#### **Antimicrobial Barrier Dressing**

The Nanocrystalline silver coating rapidly kills a broad spectrum of bacteria

- Can stay in place for up to 3 days
- Cut to appropriate size
- Fast acting and long lasting
- Effective barrier to bacterial penetration
- Maintain a moist wound environment; prevents infection

#### **Acticoat - Three-Day Antimicrobial Barrier Dressing**

5 x 5cm	SN66000808	Box/5	\$144.30	3+	<sup>\$</sup> 132.95
10 x 10cm	SN66000789	Box/5	\$270.00	3+	\$248.75

#### Acticoat 7 - Seven-Day Antimicrobial Barrier Dressing

5 x 5cm	SN66000809	Box/5	\$232.40	3+	\$214.10
10 x 12.5cm	SN66000796	Box/5	\$126.05	3+	\$116.1 <b>5</b>

# **SmithNephew ACTICOAT®** ACTICOAT® 7

#### **Acticoat Flex**

#### **Antimicrobial Barrier Dressing**

- Highly conformable and flexible
- Sustained (3 or 7 day) antimicrobial activity against a broad spectrum of wound pathogens including MRSA & Pseudomonas Aeruginosa.
- One way stretch improves patient mobility

Indications: For partial and full thickness wounds, pressure ulcers, venous leg ulcers, diabetic foot ulcers, burns and infected wounds, or wounds that may be susceptible to infection.

#### **Acticoat Flex 3**

5 x 5cm	SN66800396	Box/5	\$144.30	3+	§132.90
10 x 10cm	SN66800398	Box/5	\$270.00	3+	\$248.70

#### **Acticoat Flex 7**

\$214.05 5 x 5cm SN66800395 Box/5 \$232.35 \$126.05 \$116.15 10 x 12.5cm SN668000397 Each

#### **Smith**Nephew









# Cutimed<sup>®</sup> Sorbact<sup>®</sup>



#### Safe and effective wound infection management

- Sorbact technology binds and removes bacteria and fungi via a purely physical principle.
- Binds common microbes in the wound bed, including multi-resistant bacteria
- No mechanism of antimicrobial resistance has been described with Sorbact
- No active agents are released into the wound

**Experience the effectiveness of Cutimed® Sorbact®.** 









If you want to learn even more about **Cutimed Sorbact's** purely physical efficacy and mode of action. visit the Cutimed YouTube channel



#### **Cutimed Sorbact Gel Dressings**

Cutimed Sorbact® Gel Dressing combines the Sorbact® wound contact layer with a high moisture-donation water-based gel. The donation is essential for the autolytic debridement capacity in fibrinous, necrotic, and sloughy wounds.

7.5 x 7.5cm \$102.15 AMC98136 \$95.60 Rox/10 7.5 x 15cm AMCS98137 Box/5 \$146.35 \$136.95



#### **Cutimed Sorbact Compress Swab**

Cutimed Sorbact Compress is a bacteria and fungi binding antimicrobial wound contact layer suitable for all wound types and can be used with any combination of secondary absorbent dressing and compression therapy.

**7.5 x 7.5cm** AMCS98128 Box/40 \$204.70 \$191.60 7.5 x 15cm AMCS98125 \$300.45 \$281.20 Box/40



#### **Leukomed Sorbact**

Innovative surgical post-operative dressing helps to reduce wound bacteria colonization by its physical mode of action.

5 x 7.2cm AMCS98140 Box/100 \$359.75 \$336.70 \$123.60 \$115.70 8 x 10cm AMCS98141 Box/20





Visit our website to view the entire Sorbact range



www.teammed.com.au

PHONE 1300 22 44 50 | info@teammed.com.au





**Smith**Nephew **IODOSORB** 

IODOSORB is a sterile formulation of cadexomer iodine (0.9%) indicated for the treatment and healing of chronic ulcers. The iodine in IODOSORB is bound within the cadexomer smart micro-beads. When IODOSORB comes in contact with the wound, it absorbs exudate and debris and swells, gradually releasing iodine over time.

- Reduces the bacterial count
- Absorbs fluids, removes exudate, pus and debris
- Promotes healing: maintains a moist wound environment
- Forms a gel over the wound surface
- Range of sizes to suit most wound sizes
- Proven to remove wound biofilms

Indications: Chronic, non-healing wounds including leg ulcers, pressure ulcers, diabetic foot ulcers and exuding, infected wounds (in conjunction with systemic antibiotics).



**Inadine** 5 x 5cm JJP01481 Box/25 \$69.30 \$64.05 **PVP-I Non-Adherent Dressing** 9.5 x 9.5cm \$105.00 \$97.05 JJP01512 Box/25





3M <sup>™</sup> Inadine <sup>™</sup> (PVP-I) Non-adherent Dressing					
Item Code	Size	Dressings per box			
P01481	5cm x 5cm	25			
P01512	9.5cm x 9.5cm	25			

To learn more about the benefits of Inadine Dressing contact your 3M representative.



#### Reliable

Inadine Dressing is a reliable, efficient and nonadherent dressing designed to manage bacterial contamination and prevent infection in both chronic and acute wounds.

\$169.55

\$235.35

\$176.50

\$106.70



#### **Efficient**

The Povidone Iodine molecule has a broad spectrum antimicrobial action<sup>1,2</sup> and has been proven to be effective against MRSA<sup>3-5</sup>.



#### Non-adherent

Inadine Dressing minimises adherence to the wound bed, therefore reducing the risk of damage to the granulation tissue at dressing removal<sup>2</sup>, and in clinical practice has been shown to reduce pain for patients<sup>6,7</sup>.

Inadine Dressing is indicated to manage bacterial contamination and prevent infection in ulcerative wounds.

References: 1. Sibbald, R.G. et al. Iodine Made Easy. Wounds International 2011; 2(2). 2. Langley, S.R.N. INADINE" wound dressings speed healing, reduce patient discomfort and cuts costs by almost 40%. Burns 1989 Vol.15. 3. Vowden, P. and Cooper, R.A. An integrated approach to managing wound infection Position Document: Management of wound infection. European Wound Management Association (EWMA). London: MEP Ltd, 2006. 4. Balmforth, V. INADINE" Povidone lodine non adherent dressing as a treatment for superficial wounds infected with Methicillin resistant Staphylococcus aureus. Case Study, 1996. 5. Gordon, J. Clinical significance of methicillin-sensitive and methicillin resistant Staphylococcus aureus in UK hospitals and the relevance of povidone iodine in their control. Postgrad. Med J. 1993, 69(3):106-116.
6. Han, H.K. and Maitra, A.K. Management of partial-thickness burns with Inadine dressings. Burns 1989, 15(6):399-402. 7. Campbell, N. and Campbell, D. Evaluation of a non-adherent, povidone-iodine dressing in a case series of chronic waquete. 1840 (2002) Vel. 1900. Campbell, D. Evaluation of a non-adherent, povidone-iodine dressing in a case series of chronic wounds. JWC 2013, Vol. 22(8).

Medical Solutions Division 3M Australia Pty Limited ABN 90 000 100 096 Building A, 1 Rivett Road North Ryde NSW 2113 Phone: 1300 363 878 www.3M.com.au/medical

KCI Medical Australia Pty Ltd Level 7/15 Orion Road Lane Cove West NSW 2066 Phone: 1300 524 822 www.kciaustralia.com.au

© 3M 2021. All rights reserved. 3M and the other marks shown are marks and/or registered marks of 3M. Unauthorised use prohibited. AV011502778







Negative Pressure Wound Therapy (NPWT) refers to the use of topical negative pressure to promote healing in acute and chronic wounds. The therapeutic benefits of NPWT include the reduction in bacterial load, an increase in blood flow to the wound and stimulation of granulation tissue formation.


#### PICO 7

#### Single Use Negative Pressure Wound Therapy System

PICO is a novel, canister-free, single-use system; offering the ultimate in portable, accessible and affordable NPWT. PICO pump is more than twice as effective at dealing with air leaks, than its predecessor. This vastly improved efficiency could support healthcare professionals in delivering negative pressure and could potentially be used in problematic "hard to seal" awkward areas. New user interface with a dressing full indicator optimises dressing changes.

Indications: Acute and chronic wounds and closed surgical incisions with low to moderate levels of exudate.

#### **SmithNephew**



Pump duration of up to 14 days

Aimed for use on deep wounds

Two dressings and one pump kit

10 x 20cm	SN66802002	Box/2 \$418.55
15 x 15cm	SN66802005	Ctn/2 \$418.55
15 x 20cm	SN66802006	Box/2 \$417.00
25 x 25cm	SN66802009	Box/2 \$426.75

#### **PICO 14**

#### Single Use Negative Pressure Wound Therapy System

#### Kick start hard to-heal wounds.

PICO 14 Single Use Negative Pressure Wound Therapy System (sNPWT) designed to challenge delayed healing in hard-to-heal<sup>1-2</sup> deep wounds.3,4

PICO 14 sNPWT has an enhanced pump to facilitate use in large and deep wounds with less user intervention<sup>5</sup>

PICO 14 is a novel, canister free, sNPWT system that offers portable, accessible, and affordable NPWT.<sup>6,7</sup> The PICO 14 system consists of a pioneering silicone adhesive dressing with AIRLOCK™ technology, that effectively delivers NPWT to indicated wound types using a small, simple to use, battery-operated device.8,9

PICO 14 sNPWT has been shown to improve patient outcomes compared to standard dressings and traditional negative pressure (tNPWT)<sup>1,7,2</sup>, whilst reducing cost compared to standard care.<sup>1,7</sup>

Two dressings and one pump kit

10 x 20cm SN66802042 10 x 30cm SN66802043 **15 x 15cm** SN66802045

\$568.05

References: 1) Dowsett C, Hampton J, Myers D, Styche T. Use of PICO to improve clinical and economic outcomes in hard-to-heal wounds. Wounds International. 2017;8, p53-58.2) Kirsner R, Dove C, Reyzelman A, Vayser D, Jaimes H. A Prospective, Randomized Controlled Clinical Trial of a Single-Use Negative Pressure Wound Therapy System Compared to Traditional Negative Pressure Wound Therapy in the Treatment of Chronic Ulcers of the Lower Extremities, e-published ahead of print. May 2019.3) Smith & nephew 2018. The rev of evidence supporting the use of PICO in wounds ≥2cmin depth. Internal report EO AWM. PCS230.001 v2.4) Smith & Nephew December 2018. Deeper Wounds Report PICO v2 (PICO 7 and PICO 14) Devices. Internal Report. RD/18/089 V2.5) Smith & Nephew 2019. Research & Development Report. PICO 14 and PICO 7 Initial Pump Down and Maintenance Pump Down Time Outs RD/19/0846) Hurd, T; Evaluating the costs and benefits of innovations in chronic wound care products and practices; Ostomy Wound Management Supplement Jun 2013.7) Hampton J. Providing cost-effective treatment of hard-to-heal wounds in the community through use of NPWT. Br J Community Nurse, 2015; Suppl Comm (Sup6):S14, S16-20. doi:10.12968/bjcn.2015.20.Sup6.S16-20.8) Hurd, T; Trueman P; Rossington A; Use of a portable, single use negative pressure wound therapy device in home care patients with low to moderately exuding wounds: a case series; Ostomy Wound Management Mar 2014.9) RD18136. Summary of PICO v2 (PICO 7 and PICO 14) Human Factors Testing. December 2018.

#### Cica-Care

#### CICA-CARE is designed for temporary use:

In the management of both existing and new hypertrophic scars and keloids and as a prophylactic therapy on healed wounds to help to prevent hypertrophic scarring and keloids.

\$118.00 \$108.70 12 x 6cm SN66250704 Each \$217.40 12 x 15cm \$200.30 SN66250706 Fach



#### **Mepiform**

#### The effective self-adherent dressing for scar reduction

Topical silicone has empirically been shown to have a positive impact on hypertrophic scars and keloids. It may take from three months up to a year or more to improve an old scar, depending on the condition of the scar tissue. Mepiform should optimally be worn 24 hours a day.

- Can be cut to size
- Minimises pain and trauma at dressing changes
- No extra fixation is needed
- Mepiform is thin, flexible and discreet
- Can be worn in daily activities Can be reapplied
- One Mepiform product can be used for several days

4 x 30cm

MOL293100 5 x 7.5cm

MOL293200

Box/5 Box/5

\$203.25\* \$96.90\*

\$185.25\* \$88.30\*







# Tired of changing dressings?

Maybe it's time you changed dressings.







#### **Smith**Nephew

ALLEVYN LIFE Foam Dressing

Research has shown that up to 50% of dressing changes may not be clinically necessary.1

The EXUMASK Change Indicator helps you know when the dressing needs changing - reducing frequency of dressing changes, saving time and money. 2,3





Dressing can remain in place with strikethrough masked.



Consider arranging a dressing change in the coming days.



Time to change the dressing.





<sup>1.</sup> Tiscar-Gonzalez V, Rodriguez MJM, Rabadan Sainz C, et al. Clinical and economic impact of wound care using a polyurethane foam multi-layer dressing versus standard dressings ondelayed healing ulcers. Adv Skin Wound Care. 2020. In press (with permission). 2. Tiscar-Gonzalez V, Menor-Rodriguez MJ, Rabadan-Sianz C, Fraile-Bravo M, Styche T, Valenzuela-Ocana F, et al. Clinical and Economic Impact of Wound Care using a Polyurethane Foam Multilayer Dressing. Adv Skin Wound Care 2021;34:23-30. 3. Joy H, Bielby A, Searle R. A collaborative project to enhance efficiency through dressing change practice. J Wound Care. 2015;24(7):312, 314–317.

Smith & Nephew Pty Ltd (Australia) smith-nephew.com/en-au. Smith & Nephew Ltd (New Zealand) smith-nephew.com/en-nz. ©Trademark of Smith+Nephew. All trademarks acknowledged © August 2023 Smith+Nephew. 40400-anz V1 08/23. This material is intended for healthcare professionals. For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.

# CONTIPLAN



#### 3-in-1 Continence Care Cloths

Say goodbye to the traditional methods with the Contiplan 3-in-1 complete skincare regime to support Incontinence-associated Dermatitis (IAD) management.

- Cleanse: pH-neutral, soap-free formula for mild cleansing
- Protect: 4% Dimethicone & 6% liquid paraffin provide effective barrier protection
- Moisturising cream based formula provides added moisturise
- Restore: Glycerine, liquid paraffin, witch hazel & camomile restores skin's elasticity




#### **Contiplan All in One Continence Care Wipes**

CLDCON8 \$7.40 Pack/8 CLDCON25 Pack/25 \$17.30

**Cleanse - Protects - Restore** 





#### Meet our Team: Michael

Michael is a key part of our purchasing team with great attention to detail and a love for a good system. Outside work he likes soccer, tennis, wood work, gardening and some gaming.

What series have you been watching recently? Drive to Survive



#### Secura No-Sting

#### **No-Sting Barrier Film**

SECURA No Sting Barrier Film is a liquid film-forming skin protectant that minimises stinging. With fast drying times of less than 30 seconds, it will create an effective waterproof barrier for up to 96 hours (4 days).

It may be used to protect intact and damaged skin from irritation due to urinary or faecal incontinence, bodily fluids, adhesive trauma and friction.



Secura No-Sting Barrier Film Spray 28ml

SN66800710 \$33.30\* \$30.65\* 12+

**Secura No-Sting Barrier Wipes** 

\$105.60 SN66800712 Box/50



**Smith**Nephew

#### Skin-Prep

#### **Protective Barrier Spray and Wipes**

A protective dressing which forms a barrier between the patient's skin and adhesives to prevent insult or injury during removal of tapes and films.

#### **Skin-prep Wipes**

SN420400 Box/50 \$43.20\* 19+ \$39.80\*

Skin-prep Spray 118ml

SN420200 Can \$32.30\* 12+ \$30.70\*





#### 3M<sup>™</sup> Cavilon<sup>™</sup> Durable Barrier Cream

For the prevention of skin breakdown and for moisturising intact skin

A concentrated, therapeutic cream that provides durable long lasting protection from bodily fluids whilst moisturising skin. The unique formula requires less frequent application and less product with each application.

Durable Barrier Cream 28g 3M3391 Tube \$10.90\* Durable barrier cream 92g 3M3392 Tube \$30.75\*



See page 339 for more moisturisers

See page 322 for adhesive removers

#### 3M<sup>™</sup> Cavilon<sup>™</sup> No Sting Barrier Film

For protection from moisture, adhesives and friction

With a unique terpolymer formula that delivers exceptional durability and flexibility, Cavilon No Sting Barrier Film is a gentle, effective and CHG-compatible solution for routine skin protection. It can also be used on damaged skin.

#### No Sting Barrier Film Applicator 1ml

3M3343 Box/25 \$105.40\* 2+ \$97.10\*

No Sting Barrier Film Wipes 1ml

3M3344E Box/30 \$62.75\* 2+ \$57.80\*

No Sting Barrier Film Spray 28ml

3M3346 Bottle \$29.05\* 2+ \$26.75\*









