





# **Your Vaccine Specialists.** We are the Experts in Cold **Chain Vaccine Delivery with Full In-Coolroom Processing**

We include **Heat** and most importantly Freeze **Temperature Monitors in** every vaccine order we ship. Without a Freeze Monitor how can you be sure your vaccines are arriving without compromise?

When it comes to vaccines correct storage and transport is paramount. Because, even one broken link in the chain can mean your vaccines aren't viable.

At Team Medical, we adhere to the 'Strive for 5' National Vaccine Storage Guidelines. Below is a snapshot of what we do to ensure your vaccines are kept at the correct temperature from the moment we receive the stock to when the stock is delivered.













### **Fully Processed** inside Cool Room

By picking and packing every order inside our purpose-built cool rooms, we ensure the required temperature range (between 2-8°C) is continually maintained.

#### **Heat and Freeze Monitors in Every** Order

An alarm is triggered if your vaccines get too hot or too cold. For vaccine storage and transport compliance, a freeze monitor is a nonnegotiable. Vaccines are damaged once frozen, always check your heat and FRFF7F monitor.

#### Shipped in Eskies or in Validated **Cold Trucks**

In available regions, we ship vaccine orders with Mediport's validated refrigeration vehicles. All other vaccine orders are shipped in eskies following strict procedures.

### 24-Hour Monitoring and **Back-up Power**

Our coolrooms are monitored 24 hours a day using back-to-base data loggers. We have generators on all sites to provide back-up power when power outages occur.

### Door-to-Door **Delivery Tracking**

Our dedicated staff track, trace and verify every cold chain delivery, every day. Consignments are checked to ensure arrival at key destination depots.

We are your vaccine specialists. Only Team Medical with our family of BP, Capital and Alpha Medical take all of these steps to ensure the viability of your vaccines.



# ADACEL PRE-FILLED SYRINGE: AVAILABLE IN 10 PACK OR SINGLE PACK<sup>1</sup>



## There are two presentations of Adacel available for purchase:1

- Adacel PFS 0.5 mL x 10
- Adacel PFS 0.5 mL x 1



Adacel PFS 0.5 mL  $\times$  10

Adacel PFS 0.5 mL x 1

### Space saving for healthcare practitioners

Save fridge space with the Adacel 10 pack, which is more compact than 10 single syringe packs



### Simplicity for healthcare practitioners

Adacel pre-filled syringe uses the luer lock safety system. A luer lock syringe:

- Provides a more secure connection than a luer slip syringe
- Prevents vaccine leakage<sup>2</sup>
- Prevents accidental removal of the needle



PBS Information: This product is not listed on the PBS. This product is listed on the National Immunisation Program (NIP). Refer to the NIP Schedule and your State or Territory Health Department for details.



ADACEL is on the NIP for maternal immunisation during pregnancy.

For healthcare professionals only.

PLEASE REVIEW FULL ADACEL PRODUCT INFORMATION BEFORE PRESCRIBING.

Scan QR code for full ADACEL product information.

For medical enquiries contact Sanofi Medical Information 1800 818 806. Full Product Information is available from Sanofi or www.medsinfo.com.au/product-information/document/Adacel\_PI

Reference: 1. Adacel® Australian approved Product Information. 2. NHS Clinical Evaluation Team. Clinical review: Syringes – hypodermic Luer slip. Available at: https://www.media.supplychain.nhs.uk/media/Clinical-Review-for-3-Piece-Luer-Slip-Syringes-V2-May-2018.pdf. Accessed January 2024.

Sanofi-aventis australia pty ltd. ABN 31 008 558 807. Trading as Sanofi. Building D, 12–24 Talavera Road, Macquarie Park, NSW 2113. Customer Service Enquiries 1800 829 468.

MAT-AU-2400136-1.0. Ward7 SAAD32032M. Date of approval: February 2024.









# sanofi



SANAV350693 Each

5+

10 +

\$38.75

20 +

\$35.25

10+ 20+ SANAV350694 Box/10 2+

\$39.50

\$387.50 \$365 \$365 \$365



1DACEL polio

SANAV8190

Each

\$70.75

\$65.95

\$41.50

5+

10 +

\$67.25

20+

\$63.95





SANAV8050

Fach

5+ \$63.95

\$69.25

10 +

\$61.95

20 +

\$54.95







SANAV8140

\$50.25

\$49.50

\$68.45

\$117.50

10 +

\$49.50

20 +\$49.50



SAN350691

Each

5+

10 +

\$64.50

\$115.85

20 +

\$61.25







SANAV8040

Each

\$118.50

\$69.95

10 +

20 +

\$111.90





SANAV8020 Each

\$73.50

5+

10 +

\$69.50

20 +

\$64.95





SANAV352379 Each

3+

\$71.25

10 +

20 +

\$114.95 \$109.95 \$109.95 \$109.95



# Sanofi INFLUENZA VACCINES



SANAV7740 Box/5






SANAV345512 Box/5





# Travel smart, travel safe. Don't let missed vaccinations ruin their holiday.1-4



PBS Information: Avaxim and Typhim Vi and Verorab are not listed on the National Immunisation Program (NIP) or the PBS.

### PLEASE REVIEW FULL PRODUCT INFORMATION BEFORE PRESCRIBING.

Please scan the QR codes to read the full prescribing information.













Abbreviations: NIP: National Immunisation Program; PBS: Pharmaceutical Benefits Scheme; PI: product information.

References: 1. Smartraveller.gov.au (Australian Government Department of Foreign Affairs and Trade). Vaccinations and preventative health 2022. https://www.smartraveller.gov.au/before-you-go/health/vaccinations. Accessed January 2024. 2. Australian Immunisation Handbook (AIH). Hepatitis A. 2023. https://immunisationhandbook.health.gov.au/contents/vaccine-preventablediseases/hepatitis-a. Accessed January 2024. 3. Australian Immunisation Handbook (AIH). Typhoid fever. 2023. https://immunisationhandbook.health.gov.au/contents/vaccine-preventable-diseases/hybnoidfever. Accessed January 2024. 4. Australian Immunisationhandbook health.gov.au/contents/vaccine-preventable-diseases/typhoidfever. Accessed January 2024. 4. Australian Immunisation Handbook (AIH). Rabies and other lyssaviruses. 2024. https://immunisationhandbook.health.gov.au/contents/vaccine-preventable-diseases/rabies-and-other-lyssaviruses. Accessed January 2024.

sanofi-aventis australia pty ltd. ABN 31 008 558 807. Trading as SANOFI. 12–24 Talavera Rd, Macquarie Park NSW 2113. Customer Service 1800 829 468. MAT-AU-2400210-V1.0. SANA8682. Date of preparation: February 2024.













# WHEN THEY'RE PREPARING TO TRAVEL, MENQUADFI® IS READY TO PROTECT THEM

THE LATEST INNOVATION FROM SANOFI IN MenACWY VACCINES<sup>1,2</sup>

MENQUADFI® vaccine prevents invasive meningococcal disease caused by Neisseria meningitidis serogroups A, C, W and Y.1 MENQUADFI® offers:



A high immune response across all four serogroups A, C, W and Y\*1,3-7



Ready-to-use formulation - no reconstitution required<sup>1,8</sup>



Indicated for use from 12 months of age<sup>1</sup>

\*Seroprotection, defined as hSBA titres ≥1:8, was evaluated at 30 days after injection. 1.3-7

Protect your patients before they travel.

### DISCOVER MORE ABOUT MENQUADFI® AT VAXIPLACE.COM.AU

PBS information: This product is not listed on the PBS or NIP

Please review full Product Information before prescribing. Scan QR code for full Product Information.




hSBA, serum bacterial assay using human complement; MenACWY, quadrivalent (serogroups A, C, W, and Y) meningococcal conjugate.

References: 1. MenQuadfi® Australian Product Information. 2. Kensinger RD & Hauser SL. MenQuadfi patent application. 2016. Available at: https://patentscope.wipo.int/search/en/detail.jsf?docld=WO2018045286&\_cid=P20-LBU0CP-32803-1. Accessed December 2022. 3. Baccarini Cl et al. Pediatr Infect Dis J 2020; 39: 955-960. 4. Chang L-J et al. Vaccine 2020; 38:3560-69. 5. Anez G et al. Hum Vaccin Immunother 2020; 16: 1292-98. 6. Dhingra MS et al. Vaccine 2020; 38: 5194-5201. 7. Kirstein J et al. Hum Vaccin Immunother 2020; 16: 1299-1305. **8.** Martinon-Torres F et al. Expert Rev Vaccines 2021; 20: 1123-1146. ©2023 sanofi-aventis australia pty ltd trading as Sanofi. ABN 31 008 558 807. Talavera Corporate Centre, Building D, 12—24 Talavera Road, Macquarie Park, NSW 2113. www.sanofi.com.au MAT-AU-2203511. McCann Health SAMQ27301M. Date of preparation: January









- ► GARDASIL<sub>®</sub> 9 comprises the nine HPV genotypes [6, 11, 16, 18, 31, 33, 45, 52, 58] associated with more than 90% of cervical cancers, 80% of anal cancers and 90% of genital warts.2-5
- ► GARDASIL® 9 is funded on the National Immunisation Program for people aged 12 to ≤25 years of age.
- HPV vaccination is recommended beyond adolescence and young adulthood for previously unvaccinated men who have sex with men<sup>^</sup> and people with severely immunocompromising conditions (3 doses)<sup>5\*</sup>



^Adults 26 years and over are recommended to receive a three-dose course \*GARDASIL® 9 registered age indication 9-45 years2

PBS Information: This Product is listed on the National Immunisation Program (NIP) for people aged 12-25 years. Refer to NIP Schedule.

Before prescribing, please review the Product Information available at cslsegirus.com.au/products MINIMUM PRODUCT INFORMATION: GARDASIL. 9 [Human Papillomavirus 9-valent (Types 6, 11, 16, 18, 31, 33, 45, 52, 58) vaccine, Recombinant] Indications: GARDASIL 9 is indicated in females aged 9 to 45 years\* for the prevention of cervical, vulvar, vaginal and anal cancer, precancerous or dysplastic lesions, genital warts, and infection caused by Human Papillomavirus (HPV) types 6, 11, 16, 18, 31, 33, 45, 52 and 58. GARDASIL 9 is indicated in males aged 9 to 45 years' for the prevention of anal cancer, precancerous or dysplastic lesions, external genital lesions, and infection caused by HPV types 6, 11, 16, 18, 31, 33, 45, 52 and 58. "Evidence of vaccine efficacy is based on the core efficacy population of females aged 16 to 26 years. Immunogenicity studies have been conducted to link efficacy to younger populations (females and males aged 9 to 15 years) and to females over 26 years of age. Contraindications: Hypersensitivity to active or inactive substances of GARDASIL 9 or GARDASIL. Individuals who develop symptoms indicative of hypersensitivity after a dose of GARDASIL 9 or GARDASIL should not receive further doses. Precautions: Febrile illness, impaired immune responsiveness, thrombocytopenia or any coagulation disorder. This vaccine is not intended to be used for active treatment and will not protect against diseases that are not caused by HPV or non-vaccine genotypes. Routine cervical screening and detection and removal of cervical lesions should be continued in individuals who receive the vaccine. Syncope, sometimes associated with falling, has occurred after HPV vaccination. Vaccinees should be carefully observed for approximately 15 minutes after administration. Immunologic response may be diminished in immunocompromised individuals. Use in Pregnancy (Category B2): Not recommended for use in pregnant women. Pregnancy should be avoided during the vaccination regimen. Use in Lactation: May be administered to lactating women. It is not known whether vaccine antigens or antibodies induced by the vaccine are excreted in human milk. Interactions with other medicines: See Product Information. Use of hormonal contraceptives did not appear to affect the immune responses to GARDASIL 9. Immunosuppressive therapies may reduce the immune responses to vaccines. Adverse Effects: Injection site (pain, swelling, erythema, bruising, pruritus, mass, haemorrhage, induration, hematoma, warmth, reaction), headache, fever, nausea, dizziness, fatigue, diarrhoea, myalgia, influenza, upper respiratory tract infection, oropharyngeal and upper abdominal pain. Post-marketing experience: The following adverse reactions have been spontaneously reported during post-approval use: GARDASIL 9 - syncope sometimes accompanied by tonic clonic movements, vomiting; GARDASIL - cellulitis, idiopathic thrombocytopenic purpura, lymphadenopathy, hypersensitivity reactions including anaphylactic/anaphylactoid reactions, bronchospasm, and urticaria, acute disseminated encephalomyelitis, dizziness, Guillain-Barré syndrome, headache, nausea, arthralgia, myalgia, asthenia, chills, fatigue, malaise. Dosage and Administration: Administered intramuscularly at day 0 and then at 2 and 6 months after initial dose. In clinical studies, efficacy has been demonstrated in individuals who have received all 3 doses within a 1-year period. Alternatively, in individuals 9 through 14 years of age, GARDASIL 9 can be administered according to a 2-dose schedule; the second dose should be administered between 5 and 13 months after the first dose. If the second vaccine dose is administered earlier than 5 months after the first dose, a third dose should always be administered. Based on Approved Product Information dated 11 April 2023. AU-GAR9-23-0011 REFERENCES: 1. NCIRS. Impact evaluation of Australian national HPV vaccination program 2021. 2. Gardasil 9 Approved Product Information. 3. Patel C et al. Euro Surveill 2018; 23(41). 4. Hillman RJ et al. Int J Cancer. 2014;135(4):996-1001. 5. ATAGI Australian Immunisation Handbook 2022 available at: immunisationhandbook.health.gov.au accessed June 2023. 6. NIP Schedule 6 Feb 2023 Available at: health.gov.au/resources/publications/national-immunisation-program-schedule Accessed June 2023.

Seqirus (Australia) Pbj. Ltd, Melbourne, Victoria. www.cslseqirus.com.au, ABN: 66 120 398 067; distributor for Merck, Sharp and Dohme (Australia) Pbj. Ltd. Medical Information: 1800 642 865. GARDASIL.9 is a registered trademark of Merck Sharp & Dohme Corp LLC., Rahway, NJ, USA. Seqirus is a trademark of Seqirus UK Limited or its affiliates. Copyright © (2023) Merck & Co., Inc., Rahway, NJ, USA, and its affiliates. All rights reserved. Date of preparation: November 2023.

**CSL Segirus** 

# **CSL Seqirus**



SANAV8170 Each 10 +20 +5+ \$65.75 \$66.80 \$63.70 \$62.40 SANAV8172 Pack/2 5+ 10+

\$131.50

20+

\$124.80



GARDASIL.9 [Human Papillomavirus 9-valent Vaccine, Recombinant]

10 +CSL80890101 Each 5+

\$136.60

\$223.60 \$217.00 \$234.00





**Paediatric** 10+ 20+ Each 5+ CSL80860501 \$28.25 \$26.28 \$25.85 \$24.90 Each 5+ 10 +20 +**Adult** \$15.50 \$14.85 \$14.30 \$13.80 CSL80860401





CSL08550101 5+ 10 +Each 3+ \$102.95

\$99.84 \$94.65 \$94.65

\$127.40





10+ 20+ CSL80740001 Each 5+ \$38.10 \$35.80 \$34.25 \$33.00



\$130.95

PNEUMOVAX 23 (Pneumococcal Vaccine Polyvalent)

10+ CSL7860101 Each 5+ \$63.50 \$62.35 \$57.15





Skin Test Each 3+

\$34.25

Vaccine Each 5+ CSL9800101

\$138.25





10 +CSL8510101 Each 5+

\$36.10

\$134.50 \$128.95 \$124.00





**Paediatric** 20+ Each 5+ 10 +CSL80610002 \$47.75 \$43.50 \$44.25 \$41.50 20 +Each 10 +**Adult** \$69.60 §67.50 \$65.50 §62.40 CSL80600001





10+ 20+ CSL80740201 Each 5+ \$61.30 \$62.85 \$60.25 \$58.20





**Afluria** Quad

CSL9960501





Box/10

EXECVS ®



CSL49062227 Box/10



AREXVV	GSK707274	Each	5+	10+		PESSORIPTION ONLY MEDICINE  REPORT OF REACH OF CREATING WITH PRO-Fusion  AREXVY and Committed With pro-fusion
(RESPIRATORY SYNCYTIAL VIRUS VACCINE RECOMBINANT, ADJUVANTED)		\$339.00	\$299.00	\$299.00		PRODUCTION OF CONTROL WAS DEPOSITED.  FOR THE PRODUCTION OF CONTROL
<b>©</b>	NOVBEX001	Each	5+	10+		PRESCRIPTION ONLY MEDICINE KEEP OUT OF REACH OF CRIGHEN BEXSERO*
BEXSERO*  Meningococal Group B Vaccine (recombinant, component, adsorbed)		\$141.00	\$136.00	\$129.00		Authorizone Americania (maria de partire de
	GSK61613	Each	5+	10+	20+	passantos our venos
DOOSTRIX Combined diphtheria-tetanus-acellular pertussis (dTpa) vaccine		\$41.85	\$39.80	\$38.75	\$36.50	boostrix
<b>boostrix</b> (ipv	GSK61617	Each	5+	10+	20+	PRESCRIPTION ONLY MEDICALE BOOSTTI X(1)DV
ortini spino, som, oddrycem sosjanta som		\$74.35	\$72.75	\$72.00	<sup>\$</sup> 69.60	On the first of th
	Adult GSK61682	Each	5+	10+	20+	
engerix(b	35K01002	\$28.25	\$26.75	\$25.85	\$24.90	
	Adult GSK61683	Box/10	3+			PRESCRIPTION ONLY MEDICINE
	G3K01003	\$259.00	\$249.50			REPOUT OF REACH OF CHILDREN  On Shiph Charles Trainer  On Shiph Charle
	Junior \GSK61782	Each	5+	10+	20+	Note regards a development of the control of the co
	1031(01702	\$15.50	<sup>\$</sup> 14.85	\$14.30	\$13. <b>7</b> 5	
havriv	Adult GSK61688	Each	5+	10+	20+	
inactivated hepatitis A virus vaccine	G5101000	\$69.60	<sup>\$</sup> 67.50	\$65.50	<sup>\$</sup> 62.40	havrix:





GSK61687

Adult Box/12 \$79.71

\$47.75

Junior Box/10

\$77.58

\$45.50

Junior Box/12 GSK61428

\$25.47

20+

\$41.50

2+

\$23.76

10+ 20+

10+

\$44.25



\$75.85 \$72.75

20+





MENVEO\*
Meningococcal (Groups A, C, W-135 and Y)
Oligosaccharide CRM197 Conjugate Vaccine

10+ GSK61660 Each 5+

> \$28.00 \$29.10 \$26.45 \$25.45











GSK706262 Each 5+

\$311.00 \$301.00





03/(01037				
GSK61657				
Adult	Each	5+	10+	20+

\$83.60 \$82.65 \$80.50 \$77.95

Junior Each 5+ 10+ 20+ GSK61656

\$55.06 \$51.95 \$49.85 \$46.75





GSK61664 Each 5+ 10+ 20+

\$62.85 \$61.30 \$60.25 \$58.20





### Travel continues to grow!

Make sure your patients are ready for their next trip, whether it involves sipping on a cocktail in Bali, visiting the vibrant markets of India or taking in the tranquility of Fiji. We have your travel vaccine needs covered.





SANAV329405 Each 5+ 10+

\$307.00 \$296.00 \$275.00





BIOC08293438 Box/8 2+ 10+ 20+

2+

\$105.28 \$94.65 \$94.65 \$94.65

10 +

\$158.46 \$154.20 \$154.20 \$154.20





BIOBC01389746 Each 5+ 10+ 20+

\$147.50 \$145.20 \$140.60 \$137.60





CSL04180803 Each 5+

BIOC16293438 Box/16

\$59.00 **\$57.20** 



20 +







GSK703151





Each	5+	10+
\$83.95	\$82.45	\$75.85

BXTU67001





Each	5+	10+	20+
\$140.35	\$135.00	\$133.10	\$132.00

XXP046





Each	5+	10+
\$130.00	\$124.75	\$119.50

PHA33272



Need to know a vaccine expiry date?
Log onto your account online www.teammed.com.au/login

With Team Medical your vaccines arrive in peak condition. We maintain the highest standards and follow strict processes. For your peace of mind and for the integrity of our business.



We successfully delivered over 1.6 million doses of vaccines in 2023

